


ITEM#CL-BU-G60 | 6,000 Lumens Universal Folding Bulb with Extension





TROUBLESHOOTING GUIDE:

PROBLEM	PROBABLE CAUSE	SOLUTION
Fixture does not turn on.	Bad connection.	Check wiring connections.
	Faulty switch.	Test switch or replace it.
	Power is off.	Verify power supply is on.
Circuit breaker trips or fuse blows when light is turned on.	Circuit breaker trips or fuse blows when light is turned on.	Call customer service 1-888-7454837
		Call an electrician.

CLEANING INSTRUCTIONS:

1. Turn power OFF.
 2. Use a soft cloth and a mild, non-abrasive glass cleaner.
 3. Lightly wipe and clean the fixture.
- DO NOT use solvents.
DO NOT use cleaners containing abrasive ingredients.
NEVER spray cleaning liquid directly onto the LEDs, fixture, or wiring.

- EYES** 
- Do not look directly at the LED lights for any length of time.
 - Do not remove protective lens covering LED lights.

 This product is guaranteed against failure due to factory defects in materials or workmanship for two (2) year from the date of purchase. This warranty is non-transferable and applies only to the original owner. Proof of purchase required for repair or replacement. This warranty does not cover normal wear of parts or damage resulting from any misuse of the product. Misuse of the product includes but is not limited to: using in extreme weather conditions, opening the housing of the product, or attempted remodel/alterations made to product.


Question/Comment/Missing Part?: Contact 1-888-745-4837



WARNING:
TO AVOID RISK OF ELECTRICAL SHOCK, TURN OFF OR DISCONNECT FROM POWER WHILE INSTALLING OR SERVICING UNIT.

ITEM#CL-BU-G60 | 6,000 Lumens Universal Folding Bulb with Extension

Lumen: 6000LM
Watts: 65W
Equivalent to 350W Incandescent
LED Lifespan: 30,000 Hours
Operating Voltage: 120V
CRI: 80
Color Temp (CCT): 6500K Daylight
Base: E26 / Standard Edison Base
Damp Rated
Operating Temperature: 14°F to 104°F
Ballast must be bypassed if present.



- WARNING**
- When using this product, basic precautions should always be followed.
 - Read and follow these instructions and observe all warnings.
 - Carefully read and understand the information given in this manual before beginning installation. Failure to do so could lead to electric shock, fire, or other injuries which could be hazardous or even fatal.
 - Save these instructions and warnings.

This product may present a possible shock or fire hazard if improperly installed or mounted. Products should be installed following these instructions, local electrical codes, and the current National Electric Code (NEC).



- CAUTION**
- NEVER submerge this product in water!
 - Do not install this bulb in places where water accumulates.
 - Do not use in on hot surfaces.
 - Do not remove the lens protecting the LED.
 - Do not use in areas near a gas source.
 - It is NOT possible to change the LED light source.
 - This light is not intended for use in potentially explosive environments. This is NOT a vapor proof light.
 - This bulb is NOT A TOY and is not suitable for use by children.

Question/Comment/Missing Part?: Contact 1-888-745-4837





ADDITIONAL WARNINGS:



- Do not dismantle this light. There are NO replaceable LEDs or serviceable parts.
- Do not install this light inside of undersized enclosures.
- Suitable for fixtures rated for temperatures ranging from -40°F to 104°F
- NOT Suitable for enclosed fixtures.
- Do not use where exposed to standing water.
- Do not leave bare wires exposed outside of the electrical connections.
- Make sure wiring section is insulated.
- DO NOT USE WITH DIMMERS. This lamp is not usable with any sort of dimmer.
- Using this lamp with dimmer of any kind will void the warranty.

INSTALLATION INSTRUCTIONS:

1. Before installing the bulb, shut off power supply at the circuit breaker panel to avoid electrical shock. It is recommended that surge/lightning protection be installed. Ballast must be bypassed if present.
2. Remove old bulb.
3. Screw new bulb in clockwise. Do not overtighten. Overtightening may cause damage to the light.
4. Individually pivot each of the 4 adjustable panels down to best cover the desired space. Depending on the type of light fixture, it may be necessary to pivot light heads out of the way before screwing the bulb into the fixture.
5. Restore power.
6. Turn on light switch. Bulb will illuminate immediately.
7. Adjust all angles as needed. (Do not stare directly into LED lights when adjusting settings.)

