

SMITH

INDIAN

TRADE MARK REG. U.S. PAT. OFF.

FIRE PUMP

MADE IN U.S.A.

D.B. SMITH & COMPANY, UTICA, NEW YORK

PATENTED U.S. 1963 - CANADA 1965



90-G - Galv.



90-S - Stainless



500 FSV

The Best For Over 80 Years

D.B. SMITH & COMPANY • 23 GARDEN ST. • NEW YORK MILLS, NY 13417

Phone 800-311-9903 315-736-0037 FAX #: 315-768-4220

- EST. 1888 -

Email: Info@TheFGI.com

Web site: www.TheFountainheadGroup.com



INDIAN




FIRE PUMPS Model 90G and 90S Indian Pumps

- Available in Stainless and galvanized steel with a 5 US Gallon capacity.
- Kidney shaped tank with baffle and contoured back support for greater comfort and balance.
- Bottom discharge tank, uses a reinforced brass outlet for greater strength.
- Filter screen located inside tank at outlet prevents clogging from leaves or other debris.
- Tank cap is ventilated and uses a cam lock design with a watertight gasket for positive closure.
- Large 4" filler opening for easy filling and cleanout.
- Removable 1.75" heavy duty polypropylene shoulder straps have a sliding clip on strap that allows pump to be secured leaving hands free.
- Carrying handle located at top of tank has clips for storing pump.
- Slide pump fabricated from (2) seamless brass cylinders. A guide bushing on the inner cylinder allows for bind free operation.
- Combination nozzle allows for operator to change from a straight stream to a cone spray quickly and easily without any special tools.
- Nozzle secures to pump with beaded chain.
- Pump can be disassembled by hand for complete in field maintenance.



	UNIT	MEASUREMENTS	NET WEIGHT	SHIPPING WEIGHT	CAPACITY
Model 90S	1 Carton	19" x 16 1/4 x 10"	10 lbs.	12.50 lbs.	5 U.S. Gallons
Model 90G	1 Carton	19" x 16 1/4 x 10"	11 lbs.	13 lbs.	5 U.S. Gallons

PLEASE NOTE: () = CHROME PARTS



1089	O' ring for sealing 5951 to 5946	5981	Polypropylene adjustable carrying strap with 2 stainless steel snaps and pump carrying snap	5263	Chrome gland nut (Reg. (1) #5950 U-ring)	5949	Brass gland nut (Reg. (1) #5950 U-ring)	5955	Complete inside cylinder - chrome
1821	Neoprene gasket for use in 5931			5267	Chrome Split Ring	5950	Buna-N U-ring	5987	Service Kit (Contents (1) 6062 (2) 6009 (1) 5951 (1) 5950 (1) 5951 (1) 5941 (2) 5936 (1) 1089)
5072	Beaded nickel plated brass chain with snap ends	5119	Chromed Indian pump 18" long with chromed combination nozzle	5707	Nozzle Gasket	5951	Brass valve assembly for use on 5946 and 5947 only	5982	Brass combination fire and spray nozzle
5089	Boomer strap for carrying rack		Indian pump 18" long without nozzle	5931	Brass inlet body with ball valve and hose nipple	5958	Brass Grip	6052	Chromed brass combination nozzle
5980	Polypropylene adjustable carrying strap with 2 stainless steel snaps	5160	Chromed Indian pump 18" long without nozzle	5936	Split ring	5962	Tear drop ring	6053	Chromed brass combination nozzle
5148	Galvanized camlock cap	5161	Chromed Indian pump 18" long without nozzle	5937	Beaded chain for nozzle	5988	Chrome tear drop ring	6053	Chromed brass combination nozzle
5097	Gasket for 5148 and 5149	5149	Stainless steel camlock cap	5942	Complete outside cylinder with pump carrying loop	5984	Chrome beaded chain ass'y	6084	Indian hose section, 30" long
6009	Worm gear hose clamp	5238	Steel strainer	5946	Complete inside cylinder	5994	Chrome inlet body with ball valve and hose nipple	9092-0	Carrying rack complete in red enamel
5111	Indian pump 18" long with brass combination nozzle	5261	Chromed Grip	5946	Complete inside cylinder	5995	Chrome complete outside cylinder with pump carrying loop		
		5262	Chrome inside cylinder	5947	Inside cylinder only				



INDIAN

FIRE PUMPS



**MADE
IN
U.S.A.**

*The Best For
Over 80 Years*

.....ALSO AVAILABLE.....

A Full Line of Poly, Garden & Professional Sprayers

PUMP MAINTENANCE

After use or before storage, pump clean water through pump to clean out dirt, leaves, etc.

A drop or two of oil or grease at packing nut #5949 eases operation. Check nozzle for dirt. Check clamps on hose. Check for wear on hose.

TANK MAINTENANCE

After use or before storage, rinse tank with clean water. Check tank vent for clear opening.

Check straps for fraying or bent snap hooks. Clean leaves or debris from built-in strainer at lower inside. For dry storage, leave cap off and store tank upside down.

WINTERIZING

Use automotive type permanent anti-freeze (*not with leak stop additive as this could plug valves*). Dilute anti-freeze to lowest expected temperature reading.

When danger of freezing is over, rinse pump and tank with clean water. Check cap vent opening. Anti-freeze glycols will form a residue in storage, so clean unit out well.

We will not be responsible for merchandise returned to us without our previous approval. Claims for damage should not be filed with us, but should be filed with your local carrier's agent.

LIMITED WARRANTY

D.B. SMITH & COMPANY, INC., 23 Garden St., New York Mills, New York 13417

We warrant that each product sold by us will be free from defects in material and workmanship for a period of one year from the date of shipment by us. We make no other express warranties, and all implied warranties, and all implied warranties, including fitness and **merchantability**, are limited to one year from date of shipment by us. Within the warranty period, we will repair or replace any part found to be defective upon our examination but will not pay shipping costs or other expenses. To obtain warranty service, write us at D.B. Smith & Company, Inc. 23 Garden St., New York Mills, NY 13417, or call prepaid, Area Code 315/736-0037. Merchandise may not be returned without prior permission and must be returned to us with freight prepaid. This warranty service is an exclusive remedy and we are not responsible for any consequential or incidental or incidental damages or injury to person or property. This

warranty shall not apply to any product which has been subject to misuse, negligence or accident, or been damaged in shipment, or misapplies, or which has been modified or repaired by only applies to products owned by persons purchasing directly from us or from our approved distributors and merchandisers. The right is reserved to incorporate subsequent design or parts changes after publication and without re-issue or descriptive literature or catalogs.

Note: Limitations on duration of implied warranty and/or consequent damages may not apply to you if your state does not permit them. This warranty gives you specific legal rights in addition to rights which you may have under state law.

D.B. SMITH & COMPANY • 23 GARDEN ST. • NEW YORK MILLS, NY 13417

Phone 800-311-9903 315-736-0037 FAX #: 315-768-4220

Email: Info@TheFGI.com • Web site: www.TheFountainheadGroup.com

- EST. 1888 -

Prices & Terms are those in effect at time of shipment.