

# JLP-A LEVER HOISTS



STAND BEHIND YOUR WORK™



550+ SERVICE CENTERS NATIONWIDE

INDUSTRY-LEADING WARRANTIES

EXPERT TECHNICAL SERVICE

# AN IN-DEPTH LOOK AT SAFETY AND DURABILITY



## SAFETY COMES STANDARD

Committed to delivering the simplest and most efficient safety solutions, JET is proud to introduce the new JLP-A Series of lever hoists. Designed to create a safer work environment, the JLP-A is the right choice for your light to medium-duty industrial applications.



### BRAKE WEAR INDICATOR

JET's advanced brake wear indicator provides visual indication of when it is time to replace worn friction disks so routine maintenance and downtime are scheduled.



### FREE CHAINING

JET's improved easy free chain design is a two-step, no load, free chaining system. The system permits quicker hoist positioning and take up of slack chain. And it is engineered not to free chain under load. The two-step free chain function is engaged and disengaged by twisting the hand wheel and aligning the marks.



### NEW GRIP DESIGN

New on the JLP-A Series lever hoists is a redesigned ergonomic grip that is secured lever arm providing greater operator control and increased comfort.

## DURABILITY GUARANTEED

All JET® hoists are engineered to meet strict tolerances and are constructed with quality materials to ensure they last. JET stands behind these products with industry-leading warranties and support.



### DOUBLE PAWLS

JET Lever hoists from 1/4 to 6 tons utilize the Weston Style, double pawl brake design that splits the load to opposite sides of the ratchet gear for additional safety on the job by enhancing load security.



### CAST LATCHES

Secured with Allen screws and lock nuts, the cast-steel safety latches are more durable than stamped steel latches and will not bend out of compliance with lifting regulations.



### LIFETIME WARRANTY

JET backs every manual hand chain and lever hoist with a lifetime warranty against any manufacturer defect. Buy with confidence knowing JET will stand behind your work.

# SAFETY COMES STANDARD



## JLP-A SERIES LEVER HOISTS

JET's JLP-A Series lever hoist come standard with the new brake wear indicator. This technology adds additional safety to the job by providing a visual indication when the brake discs need replacing.

### BRAKE WEAR INDICATOR

**NEW!** JET's advanced brake wear indicator provides visual indication of when it is time to replace worn friction disks so routine maintenance and downtime are scheduled.

### IMPROVED FREE CHAINING


JET's improved easy free chain design is a two-step, no load, free chaining system. The system permits quicker hoist positioning and take up of slack chain. And it is engineered not to free chain under load.

### ALL STEEL CONSTRUCTION

The impact resistant, all steel construction of JET manual hoists increases durability, lengthening tool life.

### IMPROVED GRIP DESIGN

Improved ergonomic grip that is secured to the lever arm provides greater operator control and increased comfort.



### DUAL PAWL WESTON BRAKE

The Weston Style, double pawl brake design that splits the load to opposite sides of the ratchet gear for additional safety on the job by enhancing load security.



### LOAD CHAIN

Grade 80 black oxide coated load chain for added durability.

### CAST-STEEL SAFETY LATCHES

Secured with Allen screws and lock nuts, the cast-steel safety latches are more durable than stamped steel latches and will not bend out of compliance with lifting regulations.

### ALLOY STEEL HOOKS

The alloy steel hooks rotate 360 degrees for easy rigging applications, and slowly stretch to indicate an overload situation.

# JLP-A SERIES LEVER HOISTS

Committed to delivering the simplest and most efficient safety solutions, JET is proud to introduce the new JLP-A Series of lever hoists. Designed to create a safer work environment, the JLP-A is the right choice for your light to medium-duty industrial applications.



## SAFETY

- **NEW!** Innovative brake wear indicator provides a visual indication when the friction disks are worn and need replacing.
- **NEW!** JET's improved easy free chain design is a two-step, no load, free chaining system. The system permits quicker hoist positioning and take up of slack chain. And it is engineered not to free chain under load.
- The Weston style double ratchet pawl brake design splits the load to opposite sides of the ratchet gear for greater load security and increased safety.
- Alloy steel hooks rotate 360 degrees for easy rigging applications, and slowly stretch to indicate an overload situation.
- **NEW!** Redesigned ergonomic grip allows for greater operator control and increased comfort.

## DURABILITY

- **NEW!** Secured with Allen screws and lock nuts, the cast-steel safety latches will not bend out of compliance with lifting regulations.
- Grade 80 black oxide coated load chain for added durability.
- Needle bearings support the load sheave to increase efficiency and promote smooth operation.
- Impact resistant all steel construction for added durability and protection.

## STANDARDS

- This product complies with ANSI / ASME B30.21 and HST-3 standards.
- Load tested to 125% of capacity with certificate.



### SHIPYARD HOOK MODELS

The blunt tip of the point loading hooks virtually eliminates stretching to help reduce downtime for maintenance and repair.



### BRAKE DISK WEAR INDICATOR

**NEW!** JLP-A Series lever hoists feature the Innovative brake wear indicator that provides visual indication of when it is time to replace worn friction disks so routine maintenance and downtime are scheduled.



# JLP-A SERIES LEVER HOIST MODELS

STOCK NO	MODEL NO	CAPACITY (TONS)	CAPACITY (LBS)	STANDARD LIFT (FT.)	HEADROOM (IN)	LOAD CHAIN (DIA/MM)	LEVER LENGTH (IN)	POUNDS OF PULL TO LIFT CAPACITY	WEIGHT (LBS)	REPLACEMENT PARTS	STOCK NO.
<b>JET® JLP-A SERIES LEVER HOISTS - 1/4 TON</b>											
287100	JLP-025A-5	1/4	500	5	8-1/4	4 x 12	6	60	4-5/9	Top Hook	JLP25A-26G
287101	JLP-025A-10	1/4	500	10	8-1/4	4 x 12	6	60	5-5/6	Bottom Hook	JLP25A-38G
287102	JLP-025A-15	1/4	500	15	8-1/4	4 x 12	6	60	7	Safety Latch Kit	JLP25A-27-1
<b>JET® JLP-A SERIES LEVER HOISTS - 1/2 TON</b>											
287200	JLP-050A-5	1/2	1000	5	10	4.3 x 12	8-1/2	86	5-1/6	Top Hook	JLP25A-26G
287201	JLP-050A-10	1/2	1000	10	10	4.3 x 12	8-1/2	86	6-5/6	Bottom Hook	JLP25A-38G
287202	JLP-050A-15	1/2	1000	15	10	4.3 x 12	8-1/2	86	8-1/3	Safety Latch Kit	JLP25A-27-1
<b>JET® JLP-A SERIES LEVER HOISTS - 3/4 TON</b>											
287300	JLP-075A-5	3/4	1,650	5	12-4/5	6 x 18	11	31	14	Top Hook	JLP75A-41G
287301	JLP-075A-10	3/4	1,650	10	12-4/5	6 x 18	11	31	17	Bottom Hook	JLP75A-49G
287302	JLP-075A-15	3/4	1,650	15	12-4/5	6 x 18	11	31	19	Safety Latch Kit	JLP75A-63-1
287303	JLP-075A-20	3/4	1,650	20	12-4/5	6 x 18	11	31	22		
<b>JET® JLP-A SERIES LEVER HOISTS - 1-1/2 TON</b>											
287400	JLP-150A-5	1-1/2	3,300	5	15	8 x 24	16-1/7	49	25	Top Hook	JLP75A-41G
287401	JLP-150A-10	1-1/2	3,300	10	15	8 x 24	16-1/7	49	30	Bottom Hook	JLP75A-49G
287402	JLP-150A-15	1-1/2	3,300	15	15	8 x 24	16-1/7	49	34	Safety Latch Kit	JLP75A-63-1
287403	JLP-150A-20	1-1/2	3,300	20	15	8 x 24	16-1/7	49	39		
<b>JET® JLP-A SERIES LEVER HOISTS - 3 TON</b>											
287500	JLP-300A-5	3	6,600	5	18-8/9	10 x 30	16-1/7	71	43	Top Hook	JLP75A-41G
287501	JLP-300A-10	3	6,600	10	18-8/9	10 x 30	16-1/7	71	50	Bottom Hook	JLP75A-49G
287502	JLP-300A-15	3	6,600	15	18-8/9	10 x 30	16-1/7	71	57	Safety Latch Kit	JLP75A-63-1
287503	JLP-300A-20	3	6,600	20	18-8/9	10 x 30	16-1/7	71	65		
<b>JET® JLP-A SERIES LEVER HOISTS - 6 TON</b>											
287600	JLP-600A-5	6	13,200	5	24-2/5	10 x 30	16-1/7	77	69	Top Hook	JLP75A-41G
287601	JLP-600A-10	6	13,200	10	24-2/5	10 x 30	16-1/7	77	84	Bottom Hook	JLP75A-49G
287602	JLP-600A-15	6	13,200	15	24-2/5	10 x 30	16-1/7	77	98	Safety Latch Kit	JLP75A-63-1
287603	JLP-600A-20	6	13,200	20	24-2/5	10 x 30	16-1/7	77	112		
<b>JET® JLP-A SERIES LEVER HOISTS WITH SHIP YARD HOOKS- 1-1/2 TON</b>											
287700	JLP-150A-5SH	1-1/2	3,300	5	15	8 x 24	16-1/7	49	20	Top Hook	JLP150A-41PHG
287701	JLP-150A-10SH	1-1/2	3,300	10	15	8 x 24	16-1/7	49	27	Bottom Hook	JLP150A-49PHG
287702	JLP-150A-15SH	1-1/2	3,300	15	15	8 x 24	16-1/7	49	31	Safety Latch Kit	JLP150A-63-1PH
287703	JLP-150A-20SH	1-1/2	3,300	20	15	8 x 24	16-1/7	49	39		
<b>JET® JLP-A SERIES LEVER HOISTS WITH SHIP YARD HOOKS- 3 TON</b>											
287800	JLP-300A-5SH	3	6,600	5	18-8/9	10 x 30	16-1/7	71	43	Top Hook	JLP300A-41PHG
287801	JLP-300A-10SH	3	6,600	10	18-8/9	10 x 30	16-1/7	71	50	Bottom Hook	JLP300A-49PHG
287802	JLP-300A-15SH	3	6,600	15	18-8/9	10 x 30	16-1/7	71	57	Safety Latch Kit	JLP300A-63-1PH
287803	JLP-300A-20SH	3	6,600	20	18-8/9	10 x 30	16-1/7	71	63		

STAND BEHIND YOUR WORK™

