

Lithium ion Battery - Rectangular and Cylindrical Type

Safety Data Sheet

SECTION 1: Identification

1.1. Identification

Product name : Lithium ion Battery - Rectangular and Cylindrical Type

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Battery

1.3. Details of the supplier of the safety data sheet

Tech gear 5.7 Inc. DBA Fieldsheer Apparel Technologies
2910 Norman Strasse Rd. #104
San Marcos, CA 92069
888-908-6024

1.4. Emergency telephone number

Emergency number : 760-295-3527

SECTION 2: Hazard(s) identification

For the battery cell, chemical materials are stored in a hermetically sealed aluminum laminate case, designed to withstand temperatures and pressures encountered during normal use. As a result, during normal use, there is no physical danger of ignition or explosion and chemical danger of hazardous materials leakage. However, if exposed to a fire, added mechanical shocks, decomposed, or added electric stress by misuse the cell case will be breached and hazardous materials may be released. Moreover, if heated strongly by the surrounding fire, acrid gas may be emitted.

The following hazard classification may be applicable if the battery is damaged, or if proper handling and use instructions are not followed.

2.1. Classification of the substance or mixture

GHS US classification

Flam. Sol. 1 H228
Water-react. 2 H261
Skin Sens. 1 H317
Carc. 1B H350

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

H228 - Flammable solid
H261 - In contact with water releases flammable gas
H317 - May cause an allergic skin reaction
H350 - May cause cancer

Precautionary statements (GHS US) :

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P223 - Do not allow contact with water.
P231+P232 - Handle under inert gas. Protect from moisture.
P240 - Ground/Bond container and receiving equipment.
P241 - Use explosion-proof electrical/ventilating/lighting equipment.
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P272 - Contaminated work clothing must not be allowed out of the workplace.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 - If on skin: Wash with plenty of water.
P308+P313 - If exposed or concerned: Get medical advice/attention.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P335+P334 - Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

Lithium ion Battery - Rectangular and Cylindrical Type

Safety Data Sheet

P363 - Wash contaminated clothing before reuse.
P370+P378 - In case of fire: Use media other than water to extinguish.
P402+P404 - Store in a dry place. Store in a closed container.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Cobaltate (CoO ₂), lithium	(CAS-No.) 12190-79-3	31.6
Aluminum	(CAS-No.) 7429-90-5	28.8
Graphite	(CAS-No.) 7782-42-5	17.1
Organic electrolyte	None	13.2
Copper	(CAS-No.) 7440-50-8	6.5
Polypropylene	(CAS-No.) 9003-07-0	2.8

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention.

First-aid measures after skin contact : Remove contaminated clothes and shoes immediately. After contact with skin, wash immediately with plenty of water and soap.

First-aid measures after eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

First-aid measures after ingestion : Get immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause respiratory irritation. Inhalation of the electrolyte may have anesthesia like effects.

Symptoms/effects after skin contact : May cause irritation. May cause an allergic skin reaction

Symptoms/effects after eye contact : May cause irritation.

Symptoms/effects after ingestion : May be harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use water, carbon dioxide, nitrogen gas, chemical powder fire extinguishing medium and fire foam.

Unsuitable extinguishing media : None.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable solid.

Explosion hazard : May explode or cause burns if disassembled, crushed or exposed to fire or high temperature.

5.3. Advice for firefighters

Protection during firefighting : Firefighters should wear full protective gear.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

No additional information available

Lithium ion Battery - Rectangular and Cylindrical Type

Safety Data Sheet

6.1.2. For emergency responders

Clear the area and allow batteries to cool and vapor to dissipate.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : No special containment necessary.
Methods for cleaning up : Collect material and place in sealed containers for reclamation or disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid mechanical or electrical mishandling. Do not short or install with incorrect polarity.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a cool, dry well-ventilated area. Store away from flammable materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Graphite (7782-42-5)		
ACGIH	ACGIH OEL TWA	2 mg/m ³ (all forms except graphite fibers-respirable particulate matter)
OSHA	OSHA PEL (TWA) [1]	15 mg/m ³ (synthetic-total dust) 5 mg/m ³ (synthetic-respirable fraction)
IDLH	IDLH	1250 mg/m ³
NIOSH	NIOSH REL (TWA)	2.5 mg/m ³ (natural-respirable dust)
Copper (7440-50-8)		
ACGIH	ACGIH OEL TWA	0.2 mg/m ³ (fume)
OSHA	OSHA PEL (TWA) [1]	0.1 mg/m ³ (fume) 1 mg/m ³ (dust and mist)
IDLH	IDLH	100 mg/m ³ (dust, fume and mist)
NIOSH	NIOSH REL (TWA)	1 mg/m ³ (dust and mist) 0.1 mg/m ³ (fume)
Aluminum (7429-90-5)		
ACGIH	ACGIH OEL TWA	1 mg/m ³ (respirable particulate matter)
OSHA	OSHA PEL (TWA) [1]	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
NIOSH	NIOSH REL (TWA)	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
Polypropylene (9003-07-0)		
Not applicable		
Organic electrolyte		
Not applicable		
Cobaltate (CoO21-), lithium (12190-79-3)		
Not applicable		

8.2. Exposure controls

Appropriate engineering controls : General (mechanical) room ventilation is expected to be satisfactory for normal handling.
Hand protection : None required under normal product handling conditions.
Eye protection : None required under normal product handling conditions.
Skin and body protection : None required under normal product handling conditions.

Lithium ion Battery - Rectangular and Cylindrical Type

Safety Data Sheet

Respiratory protection : If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Cylindrical/rectangular
Color : Metallic
Odor : None
Odor threshold : No data available
pH : Not applicable
pH solution : Not applicable
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : No data available
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available
Relative density : No data available
Solubility : Insoluble.
Partition coefficient n-octanol/water (Log Pow) : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

In contact with water releases flammable gas.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Will not occur.

10.4. Conditions to avoid

When cell is exposed to an external short-circuit, crushes, deformation, high temperature above 100 degree C, it will cause heat generation and ignition. Avoid direct sunlight and high humidity.

10.5. Incompatible materials

Conductive materials, water, seawater, strong oxidizers and strong acids.

10.6. Hazardous decomposition products

Not determined.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Lithium ion Battery - Rectangular and Cylindrical Type

Safety Data Sheet

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.

Polypropylene (9003-07-0)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Copper (7440-50-8)

LC50 - Fish [1]	0.0068 – 0.0156 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 - Crustacea [1]	0.03 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 - Fish [2]	< 0.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description (DOT) : UN3481 Lithium ion batteries, packed with equipment including lithium ion polymer batteries, 9

UN-No.(DOT) : UN3481

Proper Shipping Name (DOT) : Lithium ion batteries, packed with equipment including lithium ion polymer batteries

Lithium ion Battery - Rectangular and Cylindrical Type

Safety Data Sheet

Hazard labels (DOT) : 9 - Class 9 (Miscellaneous dangerous materials)



DOT Packaging Non Bulk (49 CFR 173.xxx) : 185
DOT Packaging Bulk (49 CFR 173.xxx) : 185
DOT Special Provisions (49 CFR 172.102) : A54 - Lithium batteries or lithium batteries contained or packed with equipment that exceed the maximum gross weight allowed by Column (9B) of the 172.101 Table may only be transported on cargo aircraft if approved by the Associate Administrator.
DOT Packaging Exceptions (49 CFR 173.xxx) : 185
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 5 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 35 kg
DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Emergency Response Guide (ERG) Number : 147
Other information : No supplementary information available.

SECTION 15: Regulatory information

15.1. US Federal regulations

Graphite (7782-42-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Copper (7440-50-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory
Subject to reporting requirements of United States SARA Section 313

CERCLA RQ

5000 lb no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm

SARA Section 313 - Emission Reporting

1 %

Aluminum (7429-90-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory
Subject to reporting requirements of United States SARA Section 313

SARA Section 313 - Emission Reporting

1 % (dust or fume only)

Polypropylene (9003-07-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Cobaltate (CoO21-), lithium (12190-79-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. US State regulations

Graphite (7782-42-5)

U.S. - Massachusetts - Right To Know List
U.S. - Minnesota - Hazardous Substance List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

Copper (7440-50-8)

U.S. - Massachusetts - Right To Know List
U.S. - Minnesota - Hazardous Substance List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

Lithium ion Battery - Rectangular and Cylindrical Type

Safety Data Sheet

Aluminum (7429-90-5)

U.S. - Massachusetts - Right To Know List
U.S. - Minnesota - Hazardous Substance List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.