



February 28th, 2024

### 70350 - Roadside Essentials Kit

This document contains the SDS documents for each components for the kit listed above

1.Lightstick.....Page 2

### 74001 - 33 Piece First Aid Kit Components

2.Antiseptic Towelette.....Page 13  
3.Antibiotic Ointment.....Page 20  
4.Cleansing Pads.....Page 25  
5.Antibiotics.....Page 30

## Safety Data Sheet (SDS) Report

**SDS number: SZHH01766435S1**

Applicant: XIAMEN LONG AFTERGLOW CO.,LTD.  
NO.1043,TONGJI ZHONG ROAD,TONG AN DISTRICT,XIAMEN CHINA

Issue Date: 2023-09-21

### Sample Description:

The sample information was submitted and identified on client's behalf to be:

Product Name : Glow Products in Green,Blue,Red,Yellow,Purple,Pink,Orange,White and Aqua color  
Physical State : Liquid  
Data Received : Sep 21, 2023  
Data Reviewed : Sep 21, 2023

---

### Service Requested:

Based on the information provided by the applicant, the Safety Data Sheet (SDS) was generated in accordance with the requirements of OSHA HazCom Standard (2012), for details please refer to attached pages.

---

### Authorized By:

On Behalf Of Regulatory Affairs in Intertek Testing Services Ltd., Shanghai



Anna Wang  
Technical Manager

This report shall not be reproduced except in full, without the written approval of the laboratory.

---

### Intertek Assuris

5th Floor Building No.86, 1198 QinZhou Road (North),  
Cao He jing Development Zone, ShangHai China Zip:200233

Tel: +86 021 53397981  
E-mail:hers@intertek.com



# Glow Products in Green,Blue,Red,Yellow,Purple,Pink,Orange,White and Aqua color

## Safety Data Sheet

according to US HazCom 2012

Issue Date:2023.09.21 Revision Date: 2023.09.21 Version No:1.0 SDS Number: SZHH01766435S1

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : Glow Products in Green,Blue,Red,Yellow,Purple,Pink,Orange,White and Aqua color

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Glow Stick.

#### 1.3. Supplier

XIAMEN LONG AFTERGLOW CO.,LTD.  
NO.1043,TONGJI ZHONG ROAD,TONG AN DISTRICT,XIAMEN CHINA  
T: 0086-0592-3675699; 0086-13860179639  
elaine@glo-novelty.com

#### 1.4. Emergency telephone number

No additional information available

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Not classified

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labelling

No labelling applicable

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%
Dimethyl phthalate	CAS-No.: 131-11-3	58.5
Butyl benzoate	CAS-No.: 136-60-7	28.5
Water	CAS-No.: 7732-18-5	6

# Glow Products in Green,Blue,Red,Yellow,Purple,Pink,Orange,White and Aqua color

## Safety Data Sheet

according to US HazCom 2012

Name	Product identifier	%
Bis[2,3,5-trichloro-6-[(pentyloxy)carbonyl]phenyl] oxalate	CAS-No.: 75203-51-9	4.7
hydrogen peroxide solution... %	CAS-No.: 7722-84-1	2.2
Anthracene, 9,10-bis(phenylethynyl)-	CAS-No.: 10075-85-1	0.1

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
hydrogen peroxide solution... %	CAS-No.: 7722-84-1	( 5 ≤C < 8) Eye Irrit. 2, H319 ( 8 ≤C < 50) Eye Dam. 1, H318 ( 35 ≤C < 50) Skin Irrit. 2, H315 ( 35 ≤C ≤ 100) STOT SE 3, H335 ( 50 ≤C < 70) Ox. Liq. 2, H272 ( 50 ≤C < 70) Skin Corr. 1B, H314 ( 70 ≤C ≤ 100) Skin Corr. 1A, H314 ( 70 ≤C ≤ 100) Ox. Liq. 1, H271

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. For hydrogen peroxide NOTE: Chemical extinguishing agents may accelerate decomposition. [CCINFO]
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
---------------------------	---

# Glow Products in Green,Blue,Red,Yellow,Purple,Pink,Orange,White and Aqua color

## Safety Data Sheet

according to US HazCom 2012

Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate unnecessary personnel.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear personal protective equipment.

Emergency procedures : Ventilate spillage area.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment. Avoid release to the environment. Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.  
For hydrogen peroxide:  
Dilute with large quantities of water (at least ten (10) times the volume of hydrogen peroxide).  
Sodium bicarbonate may be used to accelerate breakdown.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13 : "Disposal considerations".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Provide good ventilation in process area to prevent formation of vapour.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool well ventilated place. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.

Storage incompatibility : Hydrogen peroxide is a powerful oxidiser.  
Contamination or heat may cause self accelerating exothermic decomposition with oxygen gas and steam release - this may generate dangerous pressures - steam explosion.  
Hydrogen peroxide reacts dangerously with rust, dust, dirt, iron, copper, acids, metals and salts, organic material.

# Glow Products in Green,Blue,Red,Yellow,Purple,Pink,Orange,White and Aqua color

## Safety Data Sheet

according to US HazCom 2012

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Glow Products in Green,Blue,Red,Yellow,Purple,Pink,Orange,White and Aqua color

No additional information available

##### Dimethyl phthalate (131-11-3)

###### USA - ACGIH - Occupational Exposure Limits

ACGIH OEL TWA	5 mg/m <sup>3</sup>
---------------	---------------------

###### USA - OSHA - Occupational Exposure Limits

OSHA PEL TWA [1]	5 mg/m <sup>3</sup>
------------------	---------------------

###### USA - IDLH - Occupational Exposure Limits

IDLH	2000 mg/m <sup>3</sup>
------	------------------------

###### USA - NIOSH - Occupational Exposure Limits

NIOSH REL TWA	5 mg/m <sup>3</sup>
---------------	---------------------

##### hydrogen peroxide solution... % (7722-84-1)

###### USA - ACGIH - Occupational Exposure Limits

Local name	Hydrogen peroxide
ACGIH OEL TWA [ppm]	1 ppm
Remark (ACGIH)	TLV® Basis: Eye, URT, & skin irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
Regulatory reference	ACGIH 2022

###### USA - OSHA - Occupational Exposure Limits

Local name	Hydrogen peroxide
OSHA PEL TWA [1]	1.4 mg/m <sup>3</sup>
OSHA PEL TWA [2]	1 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

###### USA - IDLH - Occupational Exposure Limits

IDLH [ppm]	75 ppm
------------	--------

###### USA - NIOSH - Occupational Exposure Limits

NIOSH REL TWA	1.4 mg/m <sup>3</sup>
NIOSH REL TWA [ppm]	1 ppm

#### 8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.

# Glow Products in Green,Blue,Red,Yellow,Purple,Pink,Orange,White and Aqua color

## Safety Data Sheet

according to US HazCom 2012

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Impermeable protective gloves

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Red/Green/Blue/Yellow/Pink/Orange/Purple/White/Aqua
Odour	: No data available
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability	: Not flammable
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# Glow Products in Green,Blue,Red,Yellow,Purple,Pink,Orange,White and Aqua color

## Safety Data Sheet

according to US HazCom 2012

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

#### Dimethyl phthalate (131-11-3)

LD50 oral rat	6800 mg/kg
LD50 dermal rabbit	> 12000 mg/kg

#### Butyl benzoate (136-60-7)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 15.246 mg/l/4h

#### hydrogen peroxide solution... % (7722-84-1)

LD50 oral rat	693.7 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)  
Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met)  
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)  
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)  
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)  
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)  
Viscosity, kinematic : No data available  
Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

# Glow Products in Green,Blue,Red,Yellow,Purple,Pink,Orange,White and Aqua color

## Safety Data Sheet

according to US HazCom 2012

### SECTION 12: Ecological information

#### 12.1. Toxicity

Dimethyl phthalate (131-11-3)	
EC50 72h - Algae [2]	204 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [2]	142 mg/l (Species: Pseudokirchneriella subcapitata [static])
hydrogen peroxide solution... % (7722-84-1)	
LC50 - Fish [1]	16.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
EC50 - Crustacea [1]	18 – 32 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 - Fish [2]	18 – 56 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
NOEC (chronic)	0.63 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

#### 12.2. Persistence and degradability

hydrogen peroxide solution... % (7722-84-1)	
Persistence and degradability	Readily biodegradable.

#### 12.3. Bioaccumulative potential

Dimethyl phthalate (131-11-3)	
BCF - Fish [1]	4.7 – 57
Partition coefficient n-octanol/water (Log Pow)	1.56
Butyl benzoate (136-60-7)	
Partition coefficient n-octanol/water (Log Pow)	3.3

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Effect on the ozone layer : Not classified  
Other information : Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

# Glow Products in Green,Blue,Red,Yellow,Purple,Pink,Orange,White and Aqua color

## Safety Data Sheet

according to US HazCom 2012

DOT	TDG	IMDG	IATA
<b>14.1. UN number</b>			
Not regulated for transport			
<b>14.2. Proper Shipping Name</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.3. Transport hazard class(es)</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.4. Packing group</b>			
Not applicable	Not applicable	Not applicable	Not applicable
<b>14.5. Environmental hazards</b>			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

### 14.6. Special precautions for user

#### DOT

Not regulated

#### TDG

Not regulated

#### IMDG

Not regulated

#### IATA

Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Bis[2,3,5-trichloro-6-[(pentyloxy)carbonyl]phenyl]oxalate	CAS-No. 75203-51-9	4.7%
---	--------------------	------

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Dimethyl phthalate	CAS-No. 131-11-3	58.5%
--------------------	------------------	-------

#### Dimethyl phthalate (131-11-3)

Listed on EPA Hazardous Air Pollutant (HAPS)

# Glow Products in Green,Blue,Red,Yellow,Purple,Pink,Orange,White and Aqua color

## Safety Data Sheet

according to US HazCom 2012

Dimethyl phthalate (131-11-3)	
CERCLA RQ	5000 lb

hydrogen peroxide solution... % (7722-84-1)	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
Section 302 EPCRA Reportable Quantity (RQ)	1000 lb concentration >52%
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb (concentration >52%)

### 15.2. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## SECTION 16: Other information

according to US HazCom 2012

Issue Date : 2023.09.21

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



September 15<sup>th</sup>, 2023

## 74001 - 33 Piece First Aid Kit

This document contains the SDS documents for each components for the kit listed above.

1. Antiseptic Towelette.....	Page 2
2. Antibiotic Ointment.....	Page 9
3. Cleansing Pads.....	Page 15
4. Antibiotics.....	Page 18

# Safety Data Sheet

29 CFR 1910.1200

Printing date: 03/30/2021

Version:A/0

## 1 Identification

### · Product identifier

Trade name: ANTISEPTIC TOWELETTE

### ·Other means of identification

Synonyms: None

### ·Recommended use of the chemical and restrictions on use

Recommended us: Face ,hands and body sanitizer

Uses advised against: No information available

### ·Details of the supplier of the safety data sheet

Supplier Name: GFA PRODUCTION XIAMEN CO.,LTD

Supplier Address: No.20 Hu Li Industrial Park,Mei Xi Road,Tong An,Xiamen,Fujian China

Supplier telephone number:(086)0592-7269515

Extension:632

Fax : (086)0592-7269528

Supplier Email: lemond @gfaproduction.com

· **Emergency telephone number:13950121840**

## 2 Hazard(s) identification

### Potential Acute Health Effects:

Very hazardous in case of skin contact(irritant),of eye contact(irritant),of ingestion. Hazardous in case of skin contact (corrosive. permeator). Slightly hazardous in case of eye contact(corrosive),of inhalation(lung sensitizer).Liquid spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce bums. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

### Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: Not available.

MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells.Mutagenic for bacteria and/or yeast.

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Classified Reproductive system/toxin/female, Reproductive system/toxin/male[POSSIBLE]The substance may be toxic kidneys, liver ,heart, gastrointestinal tract ,cardiovascular system, central nervous system(CNS).Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection.

# Safety Data Sheet

29 CFR 1910.1200

Printing date: 03/30/2021

Version:A/0

## 3 Composition/information on ingredients

### Composition:

Name	CAS#	%by Weight
Benzalkonium chloride	8001-54-5	0.13
Water	7732-18-5	99.87

### Toxicological Data on Ingredients: Benzalkonium chloride:

ROAL(LD50):Acute:240mg/kg[RAT].Water ORAL(LD50):  
Acute:>90ml/kg[RAT].

## 4 First-aid measures

### Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold Water may be used .Get medical attention immediately.

### Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

### Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

### Inhalation:

If inhaled, remove to fresh air .If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

### Serious Inhalation:

Evacuate the victim to a safe area as soon as possible .Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult ,administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation .

**WARNING:** It may be hazardous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic ,infectious or corrosive. Seek immediate medical attention.

### Ingestion:

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person .If large quantities of this material are swallowed, call a physician immediately .Loosen tight clothing such as a collar, tie, belt or waistband.

**Serious Ingestion:**Not available.

# Safety Data Sheet

29 CFR 1910.1200

Printing date: 03/30/2021

Version:A/0

## 5 Fire-fighting measures

**Flammability of the Product:** Non-flammable

**Auto-Ignition Temperature:** Not applicable

**Flash Points:** Not applicable

**Flammable Limits:** Not applicable

**Products of Combustion:** Not available

**Fire Hazards in Presence of Various Substances:** Not applicable

**Explosion Hazards in Presence of Various Substances:**

Risks of explosion of the product in presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available.

**Fire Fighting Media and Instructions:** Not applicable.

**Special Remarks on Fire Hazards:** Not available.

**Special Remarks on Explosion Hazards:** Not available.

## 6 Accidental release measures

**Small Spill:**

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

**Large Spill:**

Corrosive liquid. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not touch spilled material. Use water spray curtain to divert vapor drift. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal.

## 7 Handling and storage

**Precautions:**

Keep locked up. Keep container dry. Do not ingest. Do not breathe gas/fumes/vapor/spray. Never add and water to this product. In case of insufficient ventilation, wear suitable respiratory equipment, If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes.

**Storage:** Keep container tightly closed. Keep container in a cool, well-ventilated area. Do not store above 23°C(73.4°F) .

# Safety Data Sheet

29 CFR 1910.1200

Printing date: 03/30/2021

Version:A/0

## 8 Exposure controls/personal protection

### Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

### Personal Protection:

Face shield. Full suit. Vapor respirator. Be sure use an approved/certified respirator or equivalent. Gloves. Boots.

### Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves ,A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

**Exposure Limits:** Not available.

## 9 Physical and Chemical Properties

**Physical state and appearance:** Liquid

**Odor:** Aromatic(Slight)

**Taste:** Bitter

**Molecular Weight:** Not applicable

**Color:** Clear Colorless.

**PH(1% soln/water):**Not available

**Boiling Point:** The lowest known value is 100°C (212°F)(Water).

**Melting Point:** Not available.

**Critical Temperature:** Not available.

**Specific Gravity:** Weighted average:1(Water=1)

**Vapor Pressure:** The highest known value is 2.3kPa(@20°C)(Water).

**Vapor Density:** The highest known value is 0.62(Air=1)(Water).

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Water/Oil Dist. Coeff:** Not available.

**Ionicity(in Water):**Not available.

**Dispersion Properties:** See solubility in water, acetone.

**Solubility:**

Easily soluble in cold water, hot water, Soluble in acetone. Very slightly soluble in diethyl ether.

# Safety Data Sheet

29 CFR 1910.1200

Printing date: 03/30/2021

Version:A/0

## 10 Stability and reactivity

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Excess heat, dust generation, moisture, incompatible materials.(Benzalkonium chloride)

**Incompatibility with various substances:** Slightly reactive to reactive with oxidizing agents.

**Corrosivity:** Non-corrosive in presence of glass, of stainless steel(304),of stainless steel(316).

**Special Remarks on Reactivity :**Also incompatible with nitrates, anion detergents(Benzalkonium chloride)

**Special Remarks on Corrosivity:** Not available.

**Polymerization:** Will not occur.

## 11 Toxicological information

**Physical state and appearance:** Liquid

ORoutes of Entry: Absorbed through skin. Dermal contact. Eye contact Ingestion.

**Toxicity to Animals:** Acute oral toxicity(LD50):1412mg/kg(Rat)(Calculated value for the mixture)

Chronic Effects on Humans:

**MUTAGENIC EFFECTS:** Mutagenic for mammalian somatic cells.Mutagenic for bacteria and/or yeast.

**DEVELOPMENTAL TOXICITY:** Classified Reproductive system/toxin/female, Reproductive system/toxin/male[POSSIBLE] Contains material which may cause damage to the following organs: Kidneys, liver, heart, gastrointestinal tract, cardiovascular system, central nervous system(CNS).

Other Toxic Effects on Humans:

Very hazardous in case of skin contact(irritant),of ingestion, Hazardous in case of skin contact(corrosive , permeator),of eye contact(corrosive),of inhalation(corrosive).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:**

May affect genetic material(mutagen) and cause adverse reproductive effects(fetotoxicity, fertility(female)based on laboratory experiments on animals.

**Special Remarks on other Toxic Effects on Humans:**

Corrosive Severely irritates eyes, upper respiratory tract, skin ,and mucous membranes, Harmful if swallowed, inhaled ,or absorbed through skin, Acute Potential Health Effects: Skin: Causes severe skin irritation and possible burns. Eyes: Causes severe eye irritation and possible burns. Ingestion: Harmful if swallowed .Causes digestive tract irritation with possible burns. May affect behavior(central nervous system depression ,depression)and metabolism. May produce burning pains in the mouth, throat, and abdomen, profuse salivation ,muscle weakness, May also affect the respiratory system and cardiovascular system, liver and kidneys, Inhalation: May cause severe irritation of the respiratory tract and mucous membranes with sore throat, coughing ,shortness of breath of breath, and delayed lung edema. Chronic Potential Health Effects: Prolonged or repeated skin contact may cause dermatitis. Repeated or prolonged exposure may cause allergic reactions in sensitive individuals. May cause cyanosis of the skin and lips caused by lack of oxygen.

# Safety Data Sheet

29 CFR 1910.1200

Printing date: 03/30/2021

Version:A/0

## 12 Ecological information

**Ecotoxicity:** Not available

**BOD5 and COD:** Not available

**Products of Biodegradation:**

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** Not available.

**Special Remarks on the Products of Biodegradation:** Not available.

## 13 Disposal considerations

**Waste Disposal:**

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

## 14 Transport information

**DOT Classification:** Class 8:Corrosive material

**Identification :** Corrosive liquids n.o.s

**UNNA:**1760PG:

**Special Provisions for Transport:** Not available

# Safety Data Sheet

29 CFR 1910.1200

Printing date: 03/30/2021

Version:A/0

## 15 Regulatory information

**Federal and State Regulations:** No products were found.

**Other Regulations:** OSHA: Hazardous by definition of Hazard Communication Standard(29CFR 1910.1200).

**Other Classifications:**

**WHMIS(Canada):**

CLASS D-1B:Material causing immediate and serious toxic effects(TOXIC).CLASS D-2B:Material causing other toxic effects(TOXIC).CLASSE: Corrosive liquid.

**DSCL(EEC):**

R34-Causes burns.S1/2-Keep locked up and out of the reach of children.S26-In case of contact with eyes ,rinse immediately with plenty of water and seek medical advice.S36/37-Water suitable protective clothing and gloves.S39-Wear eye/face protection.S45-In case of accident or if you feel unwell, seek medical advice immediately(show the label where possible).

**HMIS(U.S.A):**

Health Hazard:3

Fire Hazard:0

Reactivity:0

Personal Protection:

**National Fire Protection Association(U.S.A):**

Health:3

Flammability:0

Reactivity:0

Specific hazard:

**Protective Equipment:**

Gloves. Full suit. Vapor respirator .Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Face shield.

## 16 Other information

**References:** Not available.

**Other Special Considerations:** Not available.

The information above is believed to be accurate and represents the best information currently available to us. However ,we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting form its use. Users should make their own investigations to determine the suitability of the information for their particular propuses. In no event shall Science Lab.com be liable for any claims, claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Science Lab.com has been advised of the possibility of such damages.

# Safety Data Sheet

29 CFR 1910.1200

Printing date: 03/30/2021

Version:A/0

## 1 Identification

### · Product identifier

Trade name: Triple Antibiotic Ointment

### ·Other means of identification

Synonyms: None

### ·Recommended use of the chemical and restrictions on use

Recommended us: To help prevent infections in minor cuts,scrapes or burns.

Uses advised against: No information available

### ·Details of the supplier of the safety data sheet

Supplier Name: GFA PRODUCTION XIAMEN CO.,LTD

Supplier Address: No.20 Hu Li Industrial Park,Mei Xi Road,Tong An,Xiamen,Fujian China

Supplier telephone number:(086)0592-7269515

Extension:632

Fax : (086)0592-7269528

Supplier Email: lemond @gfaproduction.com

· **Emergency telephone number:13950121840**

## 2 Hazard(s) identification

**Emergency overview&hazards present to man and the environment:**May cause eye irritation.May cause irritation of the digestive tract when ingested.

**Potential health effects:**Eye contact,ingestion

**Potential health effects:**

Eyes:Moderate Eye Irritation:Sighs/symptoms may include redness,swelling,pain,tearing,and blurred or hazy vision.

Skin:No health effects are expected.

Inhalation:Respiratory Tract Irritation:Irritation:Sighs/symptoms may

include cough,sneezing,nasal discharge,headache,hoarseness,and nose and throat pain.May be absorbed following ihhalation and cause target organ effects.

Ingestion:Gastrointestinal Irritation:Sighs/symptoms may include abdominal pain,stomach upset,nausea vomiting and diarrhea.May be absorbed following ingestion and cause target organ effects.

Medical conditions aggravated by exposure:Hypersensitivity to polymixin B sulfate,bacitracin zinc,neomycin sulfate or related antibiotics.

# Safety Data Sheet

29 CFR 1910.1200

Printing date: 03/30/2021

Version:A/0

## 3 Composition/information on ingredients

Chemical Name	%by Weight	CAS Number	Exposure Limits
Bacitracin Zinc	1%	1405-87-4	N/A
Polymyxin B Sulfate	0.084%	1405-20-5	N/A
Neomycin Sulfate	0.505%	1404-04-2	N/A
vaseline	96.411%	8009-03-8	N/A
Mineral oli	2%	8042-47-5	N/A

## 4 First-aid measures

Seek medical attention for all cases of overexposure:

**Potential health effects:**

Eye contact:Flush eyes with large amounts of water.If sighs/symptoms persist,get medical attention.

Skin contact:No need for first aid is anticipated.

Inhalation:Remove person to fresh air.f sighs/symptoms persist,get medical attention.

Ingestion:Contact a physician or poison control center immediately.

Physician instructions:Stop use and consult a doctor if irritation and redness develop and persist for more than 72 hours.

## 5 Fire-fighting measures

NFPA Classification			
Health	Fire	Reactivity	Other
1	0	0	None
<b>Extinguishing Media:</b> Carbon dioxide for small fires.			
<b>Firefighting Instructions:</b> If package is open,the contents will burn.Handle as flammable liquid.			
<b>Firefighting Equipment:</b> Wear self-contained breathing apparatus and full protective gear.Treat as combustible.			

# Safety Data Sheet

29 CFR 1910.1200

Printing date: 03/30/2021

Version:A/0

## 6 Accidental release measures

**Environmental Precautions:**If package is damaged,Pick up and place in disposal container.If packaging is intact,product may be used before discarding.

## 7 Handling and storage

**Handing:**Keep out of reach of children.

**Storage:**Store at room temperature,away from acids.Store away from heat.Store out of direct sunlight.Keep container tightly closed.

## 8 Exposure controls/personal protection

**Exposure controls:**Not applicable.

**Engineering controls:**Not applicable.

**Personal protective equipment:**

**Eye/Face Protection:** Not required.

**Skin Protection:**Not required.

**Respiratory Protection:**Not required.

## 9 Physical and Chemical Properties

**Product:**Triple Antibiotic Ointment

**General Information:**

**Appearance:**Opaque,off-White Ointment

**Odor:**No odor

**Boiling Point:**Not applicable

**Melting Point:**Not applicable

**Specific Gravity:**0.86

**Unusual Fire&Explosion Hazards:**N/A

**PH:**N/A

# Safety Data Sheet

29 CFR 1910.1200

Printing date: 03/30/2021

Version:A/0

## 10 Stability and reactivity

**Stability:** The product is stable under normal conditions

**Conditions to avoid:** Extreme heat

**Material to avoid:** Strong oxidants, strong acids

**Hazardous Decomposition Products:** Hazardous polymerization will not occur.

## 11 Toxicological information

N/A

## 12 Ecological information

No ecological or special considerations when used according to directions. This product is not considered environmentally harmful from normal dilution, expected usage and typical drainage to sewers, septic systems and treatment plants.

## 13 Disposal considerations

Dispose of in accordance with Local, State and Federal regulations.

# Safety Data Sheet

29 CFR 1910.1200

Printing date: 03/30/2021

Version:A/0

## 14 Transport information

Examine whether the package of the containers are integrate and tight-closed or not before transport. No divulgence, no collapse, no precipitation or no damage during the course of transportation. Don't put the goods together chief food chemicals. The assemble place should keep away from bedroom and kitchen, and the engine room, power and fire source should be isolated from the assemble place. Under the condition of Road Transportation, the driver should drive in accordance with regulated route, don't stop over in the residential area and congested area.

## 15 Regulatory information

National regulations, other regulations, limitations and prohibitive regulations  
The product & additives incorporated in it also comply with FDA: CFR Title 21.177.1520 Olefin Polymer.

## 16 Other information

The above information is based on the data of which we are aware and is believed to correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

# Safety Data Sheet

Alcohol Cleansing Pads  
Issue Date: 6 November 2020


ORIGINAL



## Section 1 - Chemical Product and Company Identification

Product Name	Alcohol Cleansing Pads		
Synonyms	Not applicable	CAS No.	Not applicable
Molecular formula	Not applicable	Molecular mass	Not applicable
Manufacturer/Supplier	GFA PRODUCTION XIAMEN CO., LTD.		
Address	NO.20 HULI INDUSTRIAL PARK,MEI XI ROAD,TONG AN,XIAMEN,FUJIAN,CHINA		

## Section 2 - Hazards Identification

OSHA regulatory	This material is considered hazardous by the 2012 OSHA Hazard Communication Standard (29CFR 1910.1200).		
Classification	Flammable solid (category 2).		
Symbol and signal word		Warning!	
Hazard statement	Flammable solid.		
Precautionary statement(s)	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Ground/Bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/ equipment. Wear protective gloves/eye protection/face protection. In case of fire, use alcohol-resistant foam,dry chemical, carbon dioxide or sand for extinction.		

## Section 3 - Composition/Information on Ingredient

Component	Range % by Wt.	CAS No.
Isopropyl Alcohol	70.00	67-63-0
Pure water	30.00	7732-18-5

## Section 4 - First Aid Measures

Skin contact	Remove contaminated clothing. Immediately flush skin with soap and plenty of water.
Eye contact	Immediately flush eyes with water at least 10 minutes. Get medical attention if irritation develops.
Inhalation	Get medical attention.
Ingestion	If swallowed, rinse thoroughly. Get medical attention immediately.
Note to Physicians	May cause reproductive and fetal effects. Prolonged exposure may cause liver, kidney, and heart damage.

# Safety Data Sheet

Alcohol Cleansing Pads

Issue Date: 6 November 2020

ORIGINAL



## Section 5 - Fire Fighting Measures

<b>Flammable properties</b>	Slight fire hazard when exposed to heat or flame. Containers can build up pressure if exposed to heat and/or fire.
<b>Extinguishing media</b>	Use dry powder, alcohol foam, or carbon dioxide when fighting a fire involving this material. Move containers away from fire.
<b>Unsuitable extinguishing media</b>	None.
<b>Hazardous combustion products</b>	Carbon oxides.
<b>Protection of firefighters</b>	Keep upwind of fire. Wear a self-contained breathing apparatus. Cool container with water spray.

## Section 6 - Accidental Release Measures

<b>Personal precautions</b>	Use personal protection recommended in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Use non-sparking tools and equipment.
<b>Environmental precautions</b>	Contain and recover liquid when possible. Avoid runoff into storm sewers and ditches which lead to waterways.
<b>Methods for containment</b>	In case of a small amount of release, absorb spill with inert material (e.g. vermiculite, sand or earth), as well as flush with plenty of water and dilute into the wastewater system. In case of great amount of release, collect spill with causeway or trench.
<b>Methods for clean-up</b>	Removal of ignition sources. A vapor suppressing foam may be used to reduce vapors. Place in suitable container or tanks by explosion-proof pump, recycle or ship to the waste plant.
<b>Other information</b>	None.

## Section 7 - Handling and Storage

<b>Handling</b>	Closed operation and full ventilation. Keep away from fire and heat sources. Prohibit smoking in work area. Prevent vapors leakage into the work area. To equipped with the appropriate type and quantity of fire-fighting devices and equipment for leakage emergency. Operating devices should be anti-static.
<b>Storage</b>	Store in a tightly closed container and place in a cool, well-ventilated storehouse. Keep away from heat, sparks, and flame. Keep away from sources of ignition. Storage areas should be equipped with handling equipments for emergency spill and suitable absorb materials.

# Safety Data Sheet

Alcohol Cleansing Pads  
Issue Date: 6 November 2020

ORIGINAL



海)有限  
V SUD  
专用

## Section 8 - Exposure Controls, Personal Protection

<b>Exposure guidelines</b>	Isopropyl Alcohol (CAS:67-63-0): -ACGIH TLV: 200 mg/m <sup>3</sup> (TWA), 400 mg/m <sup>3</sup> (STEL); -NIOSH REL: 400 mg/m <sup>3</sup> (TWA), 980 mg/m <sup>3</sup> (STEL); -OSHA PEL: 400 mg/m <sup>3</sup> (TWA), 980 mg/m <sup>3</sup> (STEL).
<b>Engineering controls</b>	Use general ventilation and use local exhaust, where possible, in confined or enclosed spaces. Provide emergency eyewash and shower equipment.
<b>Eyeface protection</b>	Use tight-fitting goggles, face shield or safety glasses with side shields if eye contact might occur.
<b>Skin protection</b>	Wear general protective clothing or anti-static clothes.
<b>Respiratory protection</b>	Suitable respiratory protective device recommended.
<b>General hygiene considerations</b>	Wash thoroughly after handling. Have eye-wash facilities immediately available.

## Section 9 - Physical and Chemical Properties

<b>Appearance and odor</b>	Wet paper.	<b>pH</b>	No information found.
<b>Freezing point (°C)</b>	No information found.	<b>Boiling point (°C)</b>	No information found.
<b>Density(water=1)</b>	No information found.	<b>Relative vapour density (air=1)</b>	No information found.
<b>Vapour pressure (kPa)</b>	No information found.	<b>Heat of combustion (kJ/mol)</b>	No information found.
<b>Critical temperature (°C)</b>	No information found.	<b>Critical pressure (MPa)</b>	No information found.
<b>Octanol/water partition coefficient as log Pow</b>	No information found.	<b>Flash point (°C)</b>	Not applicable.
<b>Auto-ignition temperature(°C)</b>	No information found.	<b>Solubility</b>	No information found.
<b>Upper explosive limits %(V/V)</b>	No information found.	<b>Lower explosive limits %(V/V)</b>	No information found.
<b>Other properties</b>	No information found.	<b>End uses</b>	For skin preparation for injection.

## Section 10 - Stability and Reactivity

<b>Chemical stability</b>	Stable under ordinary conditions of use and storage.
<b>Conditions to avoid</b>	Heat, flames, ignition sources and incompatibles.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	Carbon oxides.
<b>Possibility of hazardous reactions</b>	Will not occur.

# Safety Data Sheet

Alcohol Cleansing Pads

Issue Date: 6 November 2020



ORIGINAL



## Section 11 - Toxicological Information

Acute toxicity	Isopropyl Alcohol (CAS:67-63-0): Oral rat LD50=5040 mg/kg.
Inhalation	No information.
Eye irritation	No information.
Skin irritation	No information.
Sensitisation	No information.
Repeated dose toxicity	No information.
Carcinogenicity	Isopropyl Alcohol (CAS:67-63-0) is classified as a carcinogens of Group 3 by IARC (International Agency for Research on Cancer).
Mutagenicity	No information.
Reproductive effects	No information.
Potential health effects	Likely Routes of Exposure: Skin, eye, inhalation and ingestion. Skin: May cause skin irritation. Eye: May cause eye mild irritation. Inhalation: No adverse health effects expected. May cause drowsiness or dizziness when breathed vapours. Ingestion: No adverse health effects expected. Ingestion of large amounts may cause gastrointestinal irritation.
Development effects	No information.

## Section 12 - Ecological Information

Ecotoxicity	This material is not expected toxic to aquatic life.
Persistence/Degradability	No information.
Bioaccumulation/Accumulation	No information.
Mobility in environment	No information.

## Section 13 - Disposal Considerations

Disposal measures	Not regulated. Proposed disposal by incineration.
Notes	Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

## Section 14 - Transport Information

Regulations	US DOT	IATA DGR	IMDG Code
UN No.	UN3175	UN3175	UN3175
Hazard Class	4.1	4.1	4.1
Shipping Name	Solid containing flammable liquid, n.o.s.(Isopropyl Alcohol)	Solid containing flammable liquid, n.o.s.(Isopropyl Alcohol)	Solid containing flammable liquid, n.o.s.(Isopropyl Alcohol)
Packing Group	II	II	II
Packing method	IB6, IP2	Y441, 445, 448	P002, PP9, IBC06, B2, T3, BK2, TP33

# Safety Data Sheet

Alcohol Cleansing Pads  
Issue Date: 6 November 2020



## Section 15 - Regulatory Information

Component	CAS No.	TSCA	DSL	Section 302 (EHS)	Section 304 EHS RQ	CERC LARQ	Section 313	RCRA CODE	CAA 112(r) TQ
Isopropyl Alcohol	67-63-0	Yes	Yes	No	No	No	Yes	No	No
Pure water	7732-18-5	Yes	Yes	No	No	No	No	No	No

## Section 16 - Additional Information

Revision	0
Issue date	November 6, 2015
Prepared by	TÜV SÜD Products Testizng (Shanghai) Co.,Ltd. Guangzhou Branch
Checked by	TÜV SÜD Products Testizng (Shanghai) Co.,Ltd. Guangzhou Branch
Other information	-

**Disclaimer:** This MSDS conforms to the requirements of 29CFR 1910.1200 and ANSI Z400.1/Z 129.1-2010. This MSDS is offered to you in good faith as accurate. We have reviewed any information contained in this data sheet which we received from sources outside our company. We believe that information to be correct but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either express or implied.

This report replaces the original report 721622569-8-A

-END OF THE TEST REPORT-



**Drug Facts**

**Active ingredient (in each tablet)**

**Purpose**

Acetaminophen 500 mg.....Pain reliever/fever reducer

**Uses**

temporarily relieves minor aches and pains due to:

- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual and menstrual cramps

temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

- liver disease

**Ask a doctor or pharmacist before use if**

- you are taking the blood thinning drug warfarin

**Stop using and ask a doctor if**

- pain gets worse or lasts more than for more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Drug Facts Labeling Disclaimer**

UniFirst-First Aid Corporation and its subsidiaries, affiliates and divisions ("UniFirst") have provided this labeling format and other information to the requesting party as an accommodation only. No representations or warranties are being made by UniFirst as to the compliance of the above information with any applicable federal, state or local laws or regulations or those of any other regulatory authority including the U.S. Food and Drug Administration governing the labeling requirements and other obligations of the requesting party ("Laws"). Compliance with all Laws is the sole responsibility of the requesting party whose name appears on the labeling of the product.



**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Overdose Warning:**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- do not use more than directed (see overdose warning)

**Adults and children 12 years and over**

- take 2 tablets every 6 hours while symptoms last.
- do not take more than 6 tablets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

**Children under 12 years**

Ask a doctor

***Other information***

- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

***Inactive ingredients***

corn starch, hypromellose\*, polyethylene glycol\*, povidone, pregelatinized starch\*, sodium starch glycolate\*, stearic acid\*, titanium dioxide\*

\* May contain

**Questions or comments?** 1-800-xxx-xxxx

\*Note; areas in gray are omitted for short label.

**Drug Facts Labeling Disclaimer**

UniFirst-First Aid Corporation and its subsidiaries, affiliates and divisions ("UniFirst") have provided this labeling format and other information to the requesting party as an accommodation only. No representations or warranties are being made by UniFirst as to the compliance of the above information with any applicable federal, state or local laws or regulations or those of any other regulatory authority including the U.S. Food and Drug Administration governing the labeling requirements and other obligations of the requesting party ("Laws"). Compliance with all Laws is the sole responsibility of the requesting party whose name appears on the labeling of the product.