



SOCAR CHEMICAL, LLC

## Safety Data Sheet

### Toonshine Ready-To-Use Pontoon Cleaner & Aluminum Brightener

Version 1.0 • Date of issue: 2023-03-06

#### SECTION 1: Identification

##### GHS Product identifier

Product name Toonshine Ready-to-Use Pontoon Cleaner & Aluminum Brightener

##### Recommended use of the chemical and restrictions on use

Aluminum or concrete brightener. For use in cleaning boats, trucks, and porous surfaces.

##### Supplier's details

Name Socar Chemical, LLC  
Address 2609 Rutherford Rd  
Greenville SC 29609  
USA

Telephone (864) 244-5068  
email cs@socarchemical.com

##### Emergency phone number

CHEMTREC 1(800) 424-9300  
CCN695199

#### SECTION 2: Hazard identification

##### Classification of the substance or mixture

##### GHS classification in accordance with: OSHA (29 CFR 1910.1200)

- Acute toxicity, dermal, Cat. 2
- Acute toxicity, inhalation, Cat. 3
- Acute toxicity, oral, Cat. 3
- Eye damage/irritation, Cat. 1
- Skin corrosion/irritation, Cat. 1

##### GHS label elements, including precautionary statements

##### Pictograms



# Safety Data Sheet

Toonshine Ready-To-Use Pontoon Cleaner & Aluminum Brightener

Version 1.0 • Date of issue: 2023-03-06

## Signal word

**Danger**

## Hazard statement(s)

Toxic if swallowed  
Fatal in contact with skin  
Causes severe skin burns and eye damage  
Causes serious eye damage  
Toxic if inhaled

## Precautionary statement(s)

**Prevention** Do not breathe dust/fume/gas/mist/vapors/spray. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Wash ... thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

**Response** IF SWALLOWED: Immediately call a POISON CENTER/doctor/... IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of water/... IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor/... Call a POISON CENTER/doctor/... Specific treatment (see ... on this label). Rinse mouth. Take off immediately all contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse.

**Storage** Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal** Dispose of contents/container to ....

## SECTION 3: Composition/information on ingredients

### Mixtures

### Hazardous components

Component	Concentration
<b>HYDROFLUORIC ACID (CAS no.: 7664-39-3; EC no.: 231-634-8; Index no.: 009-003-00-1)</b>	<b>&gt;= 2 - &gt;= 2 % (weight)</b>
CLASSIFICATIONS: Acute toxicity, dermal, Cat. 1; Acute toxicity, inhalation, Cat. 2; Acute toxicity, oral, Cat. 2; Skin corrosion/irritation, Cat. 1A. HAZARDS: H300 - Fatal if swallowed; H310 - Fatal in contact with skin; H314 - Causes severe skin burns and eye damage; H330 - Fatal if inhaled. [SCLs/M-factors/ATEs]: Skin Corr. 1A; H314: C ≥ 7 %; Skin Corr. 1B; H314: 1 % ≤ C < 7 %; Eye Irrit. 2; H319: 0,1 % ≤ C < 1 %	
<b>Sulfuric acid (CAS no.: 7664-93-9; EC no.: 231-639-5; Index no.: 016-020-00-8)</b>	<b>&gt;= 1 - &gt;= 1 % (weight)</b>
CLASSIFICATIONS: Skin corrosion/irritation, Cat. 1A. HAZARDS: H314 - Causes severe skin burns and eye damage. [SCLs/M-factors/ATEs]: Skin Corr. 1A; H314: C ≥ 15 %; Skin Irrit. 2; H315: 5 % ≤ C < 15 %; Eye Irrit. 2; H319: 5 % ≤ C < 15 %	

## SECTION 4: First-aid measures

### Description of necessary first-aid measures

If inhaled If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician

In case of eye contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

# Safety Data Sheet

Toonshine Ready-To-Use Pontoon Cleaner & Aluminum Brightener

Version 1.0 • Date of issue: 2023-03-06

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## Indication of immediate medical attention and special treatment needed, if necessary

For burns of large skin areas, (greater than 25 square inches), for ingestion and for significant inhalation exposure, severe systemic effects may occur. Monitor and correct for hypocalcemia, cardiac arrhythmias, hypomagnesemia, and hyperkalemia. In some cases, renal dialysis may be indicated. For certain burns, especially of the digits, use of intra-arterial calcium gluconate may be indicated. For inhalation exposures treat as chemical pneumonia.

## SECTION 5: Fire-fighting measures

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Specific hazards arising from the chemical

-----  
Sulfuric acid: No data available.

### Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

## SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

### Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of in accordance with local and national regulations. Keep in suitable, closed containers for disposal.

## SECTION 7: Handling and storage

### Precautions for safe handling

Avoid contact with skin and eyes. Do not eat, drink or smoke while handling. Wash hands with soap and water after handling. For precautions see section 2.

### Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep out of reach of children. Keep away from aluminum and zinc.

## SECTION 8: Exposure controls/personal protection

### Control parameters

#### 1. HYDROFLUORIC ACID (CAS: 7664-39-3)

TWA (Inhalation): 3 Peak limitation ppm; 2.6 Peak limitation mg/m<sup>3</sup>; Australia (AU/SWA)

#### 2. Sulfuric acid (CAS: 7664-93-9 EC: 231-639-5)

PEL (Inhalation): 1 mg/m<sup>3</sup> (OSHA)

OSHA Annotated Table Z-1, [www.osha.gov](http://www.osha.gov)

PEL (Inhalation): 0.1 mg/m<sup>3</sup>, (ST) 3 mg/m<sup>3</sup> (Cal/OSHA)

OSHA Annotated Table Z-1, [www.osha.gov](http://www.osha.gov)

# Safety Data Sheet

Toonshine Ready-To-Use Pontoon Cleaner & Aluminum Brightener

Version 1.0 • Date of issue: 2023-03-06

REL (Inhalation): 1 mg/m<sup>3</sup>; USA (NIOSH)  
OSHA Annotated Table Z-1, [www.osha.gov](http://www.osha.gov)

TWA (Inhalation): 1 mg/m<sup>3</sup>; USA (OSHA)  
USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

TWA (Inhalation): 1 mg/m<sup>3</sup>; Australia (AU/SWA)

STEL (Inhalation): 3 mg/m<sup>3</sup>; Australia (AU/SWA)

## Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## Individual protection measures, such as personal protective equipment (PPE)

### Pictograms



### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## SECTION 9: Physical and chemical properties

### Basic physical and chemical properties

Physical state	Liquid
Appearance	Clear, transparent liquid
Color	Clear
Odor	Acidic
Melting point/freezing point	Not applicable
Boiling point or initial boiling point and boiling range	152
Flammability	Not applicable
Lower and upper explosion limit/flammability limit	Not available
Flash point	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
pH	1
Kinematic viscosity	<100 Centipoise
Solubility	100%
Partition coefficient n-octanol/water (log value)	Not applicale
Vapor pressure	Not available
Evaporation rate	<1
Density and/or relative density	Not available

# Safety Data Sheet

Toonshine Ready-To-Use Pontoon Cleaner & Aluminum Brightener

Version 1.0 • Date of issue: 2023-03-06

Relative vapor density

Not available

## SECTION 10: Stability and reactivity

### Reactivity

No data available

### Chemical stability

Stable under recommended storage conditions.

### Possibility of hazardous reactions

None under normal use conditions.

### Conditions to avoid

Avoid storing in direct sunlight and avoid extremes of temperature.

### Incompatible materials

-----

Sulfuric acid: Bases, Halides, Organic materials, Carbides, fulminates, Nitrates, picrates, Cyanides, Chlorates, alkali halides, Zinc salts, permanganates, e.g. potassium permanganate, Hydrogen peroxide, Azides, Perchlorates., Nitromethane, phosphorous, Reacts violently with:., cyclopentadiene, cyclopentanone oxime, nitroaryl amines, hexalithium disilicide, phosphorous(III) oxide, Powdered metals

### Hazardous decomposition products

-----

Sulfuric acid: Hazardous decomposition products formed under fire conditions. - Sulphur oxides  
Other decomposition products - No data available  
In the event of fire: see section 5

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

// ----- From the Suggestion report (03/06/2023, 8:10 PM) ----- //  
The ATE (dermal) of the mixture is: 62.5 mg/kg bw

// ----- From the Suggestion report (03/06/2023, 8:10 PM) ----- //  
The ATE (gas inhalation) of the mixture is: 1250 ppmV

// ----- From the Suggestion report (03/06/2023, 8:10 PM) ----- //  
The ATE (oral) of the mixture is: 62.5 mg/kg bw

#### Skin corrosion/irritation

Causes severe skin burns.

#### Serious eye damage/irritation

Risk of serious damage to eyes.

#### Respiratory or skin sensitization

Based on available data, classification data are not met

#### Germ cell mutagenicity

Based on available data, classification data are not met

# Safety Data Sheet

Toonshine Ready-To-Use Pontoon Cleaner & Aluminum Brightener

Version 1.0 • Date of issue: 2023-03-06

## Carcinogenicity

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## Reproductive toxicity

Based on available data, classification data are not met

## Specific target organ toxicity (STOT) - single exposure

No data available

## Specific target organ toxicity (STOT) - repeated exposure

No data available

## Aspiration hazard

No data available

## Additional information

-----  
Sulfuric acid: Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.,spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Pulmonary edema. Effects may be delayed., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.  
Stomach - Irregularities - Based on Human Evidence

## SECTION 12: Ecological information

## SECTION 13: Disposal considerations

### Disposal methods

#### Product disposal

Treat small amounts by adding to an excess of water and neutralize with Disposal a lime slurry, limestone, soda ash or other alkali. Add water and neutralize cautiously as reaction is immediate and can be violent. Considerable amounts of harmful vapors may be released. Good ventilation is required. Dispose of residue (or slurry) by removal to an approved chemical waste landfill or by an approved waste contractor.

## SECTION 14: Transport information

### DOT (US)

UN Number: UN1790

Class: 8 (6.1)

Packing Group: I

Proper Shipping Name: Hydrofluoric acid, with > 60% strength

Reportable quantity (RQ): 100 lbs

Marine pollutant: No

Poison inhalation hazard: Not available

## Safety Data Sheet

Toonshine Ready-To-Use Pontoon Cleaner & Aluminum Brightener

Version 1.0 • Date of issue: 2023-03-06

### IMDG

UN Number: UN1790

Class: 8 (6.1)

Packing Group: I

EMS Number: Not available

Proper Shipping Name: Hydrofluoric acid, with > 60% strength

### IATA

UN Number: UN1790

Class: 8 (6.1)

Packing Group: I

Proper Shipping Name: Hydrofluoric acid, with > 60% strength

## SECTION 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

#### California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

Sulfuric acid

CAS number: 7664-93-9

#### Canadian Domestic Substances List (DSL)

Chemical name: Hydrofluoric acid

CAS: 7664-39-3

Chemical name: Sulfuric acid

CAS: 7664-93-9

#### Massachusetts Right To Know Components

Chemical name: Hydrofluoric acid

CAS number: 7664-39-3

Sulfuric acid

CAS number: 7664-93-9

#### New Jersey Right To Know Components

Common name: HYDROGEN FLUORIDE

CAS number: 7664-39-3

Sulfuric acid

CAS number: 7664-93-9

#### Pennsylvania Right To Know Components

Chemical name: Hydrofluoric acid

CAS number: 7664-39-3

Sulfuric acid

CAS number: 7664-93-9

#### SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

Sulfuric acid

# Safety Data Sheet

Toonshine Ready-To-Use Pontoon Cleaner & Aluminum Brightener

Version 1.0 • Date of issue: 2023-03-06

CAS number: 7664-93-9

## SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

## SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Sulfuric acid

CAS number: 7664-93-9

## HMIS Rating

1-Step Pontoon Cleaner & Aluminum Brightener	
HEALTH	4
FLAMMABILITY	0
PHYSICAL HAZARD	3
PERSONAL PROTECTION	X

## NFPA Rating



## SECTION 16: Other information

Date of last revision: March 2023

### Further information/disclaimer

To the best of the knowledge of the preparer(s), the information contained herein is reliable and accurate as of this date. However, accuracy, suitability, or completeness is not guaranteed, and no warranties of any type - either express or implied are provided. The information contained herein relates only to this specific product.

### Preparation information

SDS Prepared by: Andrew Snow