

Safety Data Sheet

Issue Date: 26-Apr-2024

Revision Date: 26-Apr-2024

Version 1

1. IDENTIFICATION

Product identifier

Product Name PRIME TIME- ALL-PURPOSE CLEANER

Other means of identification

SDS # RCPA-014

UN/ID No UN3262

Recommended use of the chemical and restrictions on use

Recommended Use All purpose cleaner.

Details of the supplier of the safety data sheet

Supplier Address

RCP America
7908 Professional place
Tampa, FL 33637
Ph: 1-800-689-9664

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Green liquid

Physical state Liquid

Odor Fresh clean odor

Classification

Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1

Signal Word

Danger

Hazard statements

Harmful if inhaled
Causes severe skin burns and eye damage
May cause an allergic skin reaction



Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area
 Do not breathe dust/fume/gas/mist/vapors/spray
 Wash face, hands and any exposed skin thoroughly after handling
 Wear protective gloves/protective clothing/eye protection/face protection
 Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

Immediately call a poison center or doctor/physician
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 Immediately call a poison center or doctor/physician
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 Wash contaminated clothing before reuse
 If skin irritation or rash occurs: Get medical advice/attention
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a poison center or doctor/physician if you feel unwell
 Immediately call a poison center or doctor/physician
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Nonylphenol Ethoxylate	127087-87-0	5-10
Glycol Ether EB	111-76-2	5-10
Sodium metasilicate	6834-92-0	3-5
Sodium Tripolyphosphate	7758-29-4	1-3
Triethanolamine	102-71-6	1-3
Tetrasodium EDTA	64-02-8	1-5
Linalyl acetate	115-95-7	<1
Benzyl Salicylate	118-58-1	<1
2-(4-tert-butylbenzyl)propionaldehyde	80-54-6	<1

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

- General Advice** Provide this SDS to medical personnel for treatment.
- Eye Contact** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
- Skin Contact** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

Most important symptoms and effects, both acute and delayed

Symptoms	Harmful if inhaled. May be harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.
-----------------------------	--

Environmental precautions

Environmental precautions	See Section 12 for additional Ecological Information.
----------------------------------	---

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
--------------------------------	---

Methods for Clean-Up	Keep in suitable, closed containers for disposal.
-----------------------------	---

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.
--------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Incompatible Materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Glycol Ether EB 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
Sodium metasilicate 6834-92-0	2 mg/m ³	2 mg/m ³	-
Sodium Tripolyphosphate 7758-29-4	15 mg/m ³	15 mg/m ³	-
Triethanolamine 102-71-6	TWA: 5 mg/m ³	-	-
Methanol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m ³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m ³ (vacated) S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear eye/face protection. Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Wear protective gloves and protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid	Odor	Fresh clean odor
Appearance	Green liquid	Odor Threshold	Not determined
Color	Green		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	No data available	

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Glycol Ether EB 111-76-2	= 470 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (Rat) 4 h
Nonylphenol Ethoxylate 127087-87-0	= 1310 mg/kg (Rat)	-	-
Quaternary Cocoalkylamine Ethoxylate 61791-10-4	= 580 mg/kg (Rat)	-	-
Sodium metasilicate 6834-92-0	= 1153 mg/kg (Rat)	-	-
Sodium Tripolyphosphate 7758-29-4	= 3120 mg/kg (Rat)	> 4640 mg/kg (Rabbit)	> 0.39 mg/L (Rat) 4 h
Triethanolamine 102-71-6	= 4190 mg/kg (Rat)	> 20000 mg/kg (Rabbit)	-
Tetrasodium EDTA 64-02-8	= 1658 mg/kg (Rat)	-	-
Methanol 67-56-1	= 6200 mg/kg (Rat)	= 15840 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h
2-(4-tert-butylbenzyl)propionaldehyde 80-54-6	= 1390 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 1802 mg/m ³ (Rat) 4 h
Hexyl salicylate 6259-76-3	> 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
2,6-Dimethyl-7-octen-2-ol 18479-58-8	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Acetyl Cedrene 32388-55-9	-	> 5000 mg/kg (Rabbit)	-
Linalyl acetate 115-95-7	= 14550 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Benzyl Salicylate 118-58-1	= 2227 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Benzyl benzoate 120-51-4	= 500 mg/kg (Rat)	= 4000 mg/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes severe skin burns.

Serious eye damage/eye irritation Causes severe eye damage.

Sensitization May cause an allergic skin reaction.

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
Glycol Ether EB 111-76-2	A3	Group 3		
Triethanolamine 102-71-6		Group 3		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50	2,134.00 mg/kg
Dermal LD50	6,259.00 mg/kg
Gas	64.50 ppm
ATEmix (inhalation-dust/mist)	3.55 mg/l
ATEmix (inhalation-vapor)	14.70 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Glycol Ether EB 111-76-2		LC50: =1490mg/L (96h, Lepomis macrochirus) LC50: =2950mg/L (96h, Lepomis macrochirus)	EC50: >1000mg/L (48h, Daphnia magna)
Sodium metasilicate 6834-92-0		LC50: =210mg/L (96h, Brachydanio rerio)	
Triethanolamine 102-71-6	EC50: =216mg/L (72h, Desmodesmus subspicatus) EC50: =169mg/L (96h, Desmodesmus subspicatus)	LC50: 10600 - 13000mg/L (96h, Pimephales promelas) LC50: >1000mg/L (96h, Pimephales promelas) LC50: 450 - 1000mg/L (96h, Lepomis macrochirus)	
Tetrasodium EDTA 64-02-8		LC50: =41mg/L (96h, Lepomis macrochirus) LC50: =59.8mg/L (96h, Pimephales promelas)	
Methanol 67-56-1		LC50: =28200mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas) LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus)	
2-(4-tert-butylbenzyl)propionaldehyde 80-54-6		LC50: 2.2 - 4.6mg/L (96h, Brachydanio rerio)	EC50: =10.7mg/L (48h, Daphnia magna)
Linalyl acetate 115-95-7		LC50: =11mg/L (96h, Cyprinus carpio)	
Benzyl Salicylate 118-58-1		LC50: =1.03mg/L (96h, Danio rerio)	
Benzyl benzoate 120-51-4		LC50: =2.32mg/L (96h, Danio rerio)	

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Nonylphenol Ethoxylate 127087-87-0	5.669
Glycol Ether EB 111-76-2	0.81
Triethanolamine 102-71-6	-2.53
Linalyl acetate 115-95-7	3.9
Benzyl Salicylate 118-58-1	4
2-(4-tert-butylbenzyl)propionaldehyde 80-54-6	4.2

Other adverse effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol 67-56-1		Included in waste stream: F039		U154

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN/ID No UN3262
Proper Shipping Name Corrosive solid, basic, inorganic, n.o.s. (sodium metasilicate)
Transport hazard class(es) 8
Packing Group II

IATA

UN number or ID number UN3262
Proper Shipping Name Corrosive solid, basic, inorganic, n.o.s. (sodium metasilicate)
Transport hazard class(es) 8
Packing group II

IMDG

UN number or ID number UN3262
Proper Shipping Name Corrosive solid, basic, inorganic, n.o.s. (sodium metasilicate)
Transport hazard class(es) 8
Packing Group II

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Water	X	ACTIVE	X	X	X	X	X	X	X
Glycol Ether EB	X	ACTIVE	X	X	X	X	X	X	X
Nonylphenol Ethoxylate	X	ACTIVE	X	X	X	X	X	X	X
Quaternary Cocoalkylamine Ethoxylate	X	ACTIVE	X		X	X	X	X	X
Sodium metasilicate	X	ACTIVE	X	X	X	X	X	X	X
Sodium Tripolyphosphate	X	ACTIVE	X	X	X	X	X	X	X
Triethanolamine	X	ACTIVE	X	X	X	X	X	X	X
Tetrasodium EDTA	X	ACTIVE	X	X	X	X	X	X	X
Disodium Cocoamphodipropionate	X	ACTIVE	X	X	X	X	X	X	X
Methanol	X	ACTIVE	X	X	X	X	X	X	X
2-(4-tert-butylbenzyl)propionaldehyde	X	ACTIVE	X	X	X	X	X	X	X
Hexyl salicylate	X	ACTIVE	X	X	X	X	X	X	X
2,6-Dimethyl-7-octen-2-ol	X	ACTIVE	X	X	X	X	X	X	X
Acetyl Cedrene	X	ACTIVE	X	X	X	X	X	X	X
Linalyl acetate	X	ACTIVE	X	X	X	X	X	X	X
Benzyl Salicylate	X	ACTIVE	X	X	X	X	X	X	X
Benzyl benzoate	X	ACTIVE	X	X	X	X	X	X	X

Legend:

- TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*
- DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*
- EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*
- ENCS - Japan Existing and New Chemical Substances*
- IECSC - China Inventory of Existing Chemical Substances*
- KECL - Korean Existing and Evaluated Chemical Substances*
- PICCS - Philippines Inventory of Chemicals and Chemical Substances*
- AICS - Australian Inventory of Chemical Substances*

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Methanol 67-56-1	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Glycol Ether EB - 111-76-2	111-76-2	5-10	1.0
Nonylphenol Ethoxylate - 127087-87-0	127087-87-0	5-10	1.0
Methanol - 67-56-1	67-56-1	<1	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical name	California Proposition 65
Methanol - 67-56-1	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Glycol Ether EB 111-76-2	X	X	X
Triethanolamine 102-71-6	X	X	X
Methanol 67-56-1	X	X	X

16. OTHER INFORMATION

<u>NFPA</u>	Health hazards	Flammability	Instability	Special hazards
	-	-	-	-
<u>HMIS</u>	Health hazards	Flammability	Physical hazards	Personal Protection
	-	-	-	Not determined

Issue Date: 26-Apr-2024
 Revision Date: 26-Apr-2024
 Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet