

**Safety Data Sheet**  
Muscle Man 6 pk Aerosol

**SECTION I - IDENTIFICATION**

**PRODUCT IDENTIFIER:** Muscle Man 6 pk Aerosol  
**PRODUCT CODE:** 235010005-20AR  
**RECOMMENDED USE:** Oven Cleaner  
**RESTRICTIONS ON USE:** None known.  
**COMPANY NAME:** Namco Manufacturing, Inc-TX  
**COMPANY ADDRESS:** 1651 Blalock Rd., Houston, TX 77080  
**COMPANY PHONE:** 713-932-8293  
**EMERGENCY PHONE:** 800-255-3924

**SECTION II – HAZARDS IDENTIFICATION**

**CLASSIFICATION:** Gases Under Pressure: Liquefied Gas

Corrosive to Metals

Skin Corrosive: Category 1


Eye Damage: Category 1

**HAZARD STATEMENT(S): DANGER:** Contains gas under pressure; may explode if heated. May be corrosive to metals. Causes severe skin burns and eye damage.

This product contains the following percentage of chemicals of unknown toxicity: N/A

**PRECAUTIONARY STATEMENTS:** Keep away from heat, sparks, open flames, and hot surfaces. -No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place. Do not breathe mists. Wash hands thoroughly after handling. Wear protective gloves and eye protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents and container in accordance with local, state, and national regulations. Absorb spillage to prevent material damage.

**SYMBOL:**



**HAZARDS NOT OTHERWISE CLASSIFIED:** N/A

**SECTION III – COMPOSITION/INFORMATION ON INGREDIENTS**

HAZARDOUS INGREDIENT	CAS NUMBER	PERCENT
Potassium Hydroxide	1310-58-3	5-10%
Propane	74-98-6	1-5%
N-Butane	106-97-8	1-5%

**SECTION IV - FIRST AID MEASURES**

**EYES:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

**INGESTION:** Seek medical attention immediately. Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor if you feel unwell.

**SKIN:** If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a poison center or doctor.

**ACUTE HEALTH HAZARDS:** Causes severe burns. Inhalation of mist or vapors may cause respiratory irritation. If ingested, may cause burns in the mouth and throat, burning sensation in the throat and chest and may cause nausea and vomiting.

**Safety Data Sheet**  
**Muscle Man 6 pk Aerosol**

**CHRONIC HEALTH HAZARDS:** Dermatitis may occur due to long-term irritation.

**NOTE TO PHYSICIAN:** The absence of visible signs or symptoms of burns does not reliably exclude the presence of actual tissue damage.

**SECTION V – FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA:** Use appropriate media for surrounding fire.

**UNSUITABLE EXTINGUISHING MEDIA:** N/A

**SPECIAL FIRE FIGHTING PROCEDURES:** Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires. Use water spray only to cool exposed containers. Shut off all sources of ignition.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Contents under pressure. Exposure to temperatures above 120 °F may cause bursting. Keep away from sparks, open flames, and hot surfaces. No smoking. Do not spray on an open flame or other ignition source.

**HAZARDOUS COMBUSTION PRODUCTS:** Oxides of carbon.

**SECTION VI – ACCIDENTAL RELEASE MEASURES**

**PERSONAL PROTECTIVE EQUIPMENT:** Refer to section VIII for proper Personal Protective Equipment.

**SPILL:** Dike area to contain spill. Dilute spill with large quantities of water and then neutralize with a dilute acid. Flush area with water until clean.

**WASTE DISPOSAL:** Dispose of contents in accordance with federal, state, and local regulations. Do not dump in sewers.

**RCRA STATUS:** Dispose of in accordance with all local, state and federal environmental rules and regulations. Check the pH of the waste to be disposed, if it is greater than 12.5 it must be handled as a RCRA hazardous waste. May be subject to disposal regulations: U.S. EPA 40 CFR 261. Hazardous waste Number(s): D002

**SECTION VII – HANDLING AND STORAGE**

**HANDLING AND STORAGE:** Keep away from heat, open flames, or other sources of ignition. Avoid contact with skin, eyes and clothing. Do not inhale mist or vapor. Store in a cool, dry area. Do not use or store with strong oxidizers. Protect from sunlight. Store in a well ventilated place. Do not expose to temperatures exceeding 50 °C/122 °F. Pressurized container: Do not pierce or burn, even after use.

**OTHER PRECAUTIONS:** Keep out of the reach of children. Read and follow the directions on the product label. They are the best guide to using the product in the most effective manner. The label also gives you the necessary safety precautions to protect your health.

**INCOMPATIBILITY:** Organic materials, concentrated acids and metal. May react with certain food sugars.

**SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION**

HAZARDOUS INGREDIENT	OSHA PEL	ACGIH TLV
Potassium Hydroxide	Not Established	2 mg/m <sup>3</sup>
Propane	1000 ppm	1000 ppm
N-Butane	Not Established	1000 ppm

**ENGINEERING CONTROLS / VENTILATION:** Local ventilation/exhaust adequate to maintain vapor concentrations below PEL/TLV.

**RESPIRATORY PROTECTION:** Wear NIOSH/MSHA approved organic vapor respiratory protection.

**PERSONAL PROTECTIVE EQUIPMENT:** Chemical resistant rubber or neoprene apron and chemically resistant boots to avoid skin and clothing contact. Safety glasses should be worn during use.

**ADDITIONAL MEASURES:** Wear protective clothing to prevent repeated or prolonged contact with product. Wash hands and clothing in contact with product after use.

**SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE:** White Foam

**ODOR:** Lemon scent

**ODOR THRESHOLD:** N/D

**Safety Data Sheet**  
Muscle Man 6 pk Aerosol

**pH:** >13

**MELTING POINT/FREEZING POINT:** N/D

**INITIAL BOILING POINT AND BOILING RANGE:** N/D

**FLASH POINT:** N/D

**EVAPORATION RATE:** N/D

**FLAMMABILITY(solid/gas):** Not considered a flammable aerosol by OSHA (29CFR 1910.1200)

**UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:**

**LOWER FLAMMABILITY LIMIT:** N/D

**UPPER FLAMMABILITY LIMIT:** N/D

**EXPLOSIVE LIMIT LOWER (%):** N/D

**EXPLOSIVE LIMIT UPPER (%):** N/D

**VAPOR PRESSURE (mm Hg):** N/D

**VAPOR DENSITY (AIR=1):** N/D

**RELATIVE DENSITY (H<sub>2</sub>O=1):** 1.06 - 1.10 @ 77 °F (25 °C)

**SOLUBILITY(IES):** 100% water

**PARTITION COEFFICIENT: n-OCTANOL/WATER (K<sub>ow</sub>):** N/D

**AUTOIGNITION TEMPERATURE:** N/D

**DECOMPOSITION TEMPERATURE:** N/D

**VISCOSITY:** N/D

**SECTION X – STABILITY AND REACTIVITY**

**REACTIVITY:** Chemically active metals and acids.

**CHEMICAL STABILITY:** Stable.

**POSSIBLE HAZARDOUS REACTIONS:** None known.

**CONDITIONS TO AVOID:** Do not mix with other chemicals and avoid contact with incompatible materials.

**INCOMPATIBLE MATERIALS:** Organic materials, concentrated acids and metal. May react with certain food sugars.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Some metals can release oxides of phosphorus and release hydrogen gas which can be explosive.

**SECTION XI – TOXICOLOGICAL INFORMATION**

**TOXICOLOGICAL INFORMATION:** Potassium hydroxide (1310-58-3): LD<sub>50</sub> (Oral, Rat) 273 mg/kg.

**ROUTES OF ENTRY:** Eyes, Ingestion, Inhalation, Skin

**EYES:** Causes severe burns, irritation, redness, tearing, pain, may result in loss of sight.

**INGESTION:** Will cause extensive damage to tissue and may be fatal.

**INHALATION:** May cause irritation (possibly severe), chemical burns, upper respiratory damage, and pulmonary edema.

**SKIN:** Causes severe burns. Prolonged contact will destroy tissue.

**MEDICAL CONDITION AGGRAVATED:** Asthma, bronchitis, emphysema and other lung diseases and chronic nose, sinus or throat conditions. Skin irritation may be aggravated in individuals with existing skin disorders.

**ACUTE HEALTH HAZARDS:** Causes severe burns. Inhalation of mist or vapors may cause respiratory irritation. If ingested, may cause burns in the mouth and throat, burning sensation in the throat and chest and may cause nausea and vomiting.

**CHRONIC HEALTH HAZARDS:** Dermatitis may occur due to long-term irritation.

**CARCINOGENICITY:** OSHA: No ACGIH: No NTP: No IARC: No OTHER: N/A

**SECTION XII – ECOLOGICAL INFORMATION**

**ECOTOXICITY:** Avoid release to the environment. Potassium hydroxide (1310-58-3): LC<sub>50</sub> (*Gambusia affinis*, 96hr) 80 mg/L.

**PERSISTENCE AND DEGRADABILITY:** Not readily biodegradable.

**BIOACCUMULATIVE POTENTIAL:** This product is not expected to bioaccumulate.

**MOBILITY IN SOIL:** This product is mobile in soil.

**OTHER ADVERSE EFFECTS:** None known.

**SECTION XIII – DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL:** Dispose of contents in accordance with federal, state, and local regulations. Do not dump in sewers.

**RCRA STATUS:** Dispose of in accordance with all local, state and federal environmental rules and regulations. Check the pH of the waste to be disposed, if it is greater than 12.5 it must be handled as a RCRA hazardous waste. May be subject to disposal regulations: U.S. EPA 40 CFR 261. Hazardous waste Number(s): D002

**Safety Data Sheet**  
Muscle Man 6 pk Aerosol

**SECTION XIV - TRANSPORT INFORMATION**

**PROPER SHIPPING NAME:** Aerosols, Ltd. Qty.  
**HAZARD CLASS/DIVISION:** 2.2  
**UN/NA NUMBER:** UN 1950  
**PACKING GROUP:** N/A

**AIR SHIPMENT**

**PROPER SHIPPING NAME:** Aerosols  
**HAZARD CLASS/DIVISION:** 2.2  
**UN/NA NUMBER:** UN 1950  
**PACKING GROUP:** N/A

**SHIPPING BY WATER:**

**VESSEL (IMO/IMDG)**  
**PROPER SHIPPING NAME:** Aerosols  
**HAZARD CLASS/DIVISION:** 2.2  
**UN/NA NUMBER:** UN 1950  
**PACKING GROUP:** N/A  
**ENVIRONMENTAL HAZARDS WATER:** N/A

**SECTION XV - REGULATORY INFORMATION**

**TSCA STATUS:** All Chemicals are listed or exempt.

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** Sodium Hydroxide (1310-73-2)

Reportable Quantity = 1,000 lbs Potassium Hydroxide (1310-58-3) Reportable Quantity = 1,000 lbs

**SARA 311/312 HAZARD CATEGORIES:** Gas under pressure. Corrosive to metal. Skin corrosion or irritation. Serious eye damage or eye irritation.

**SARA 313 REPORTABLE INGREDIENTS:** None.

**STATE REGULATIONS: California Proposition 65:** This product contains no known chemicals regulated by California Proposition 65. Potassium hydroxide (1310-58-3): Included on State Hazardous Substances Inventories, Right-to-Know lists and/or Air Quality or Air Pollutants lists for the following states: CA, IL, LA, MA, MN, NJ, NY, PA, RI.

**INTERNATIONAL REGULATIONS:** Listed or exempt from listing/notification on the following chemical inventories: Domestic Substances List (DSL, Canada).

**VOLATILE ORGANIC COMPOUNDS (VOC):** 7%

<b>NFPA HEALTH:</b>	3	<b>HMIS HEALTH:</b>	3
<b>NFPA FLAMMABILITY:</b>	1	<b>HMIS FLAMMABILITY:</b>	1
<b>NFPA REACTIVITY:</b>	1	<b>HMIS REACTIVITY:</b>	1
<b>NFPA OTHER:</b>	None	<b>HMIS PROTECTION:</b>	B

**SECTION XVI - OTHER INFORMATION**

**PREPARATION BY:** Roberto Cerón

**DATE PREPARED:** 12/20/2013

**REVISION DATE:** 08/10/2021

N/A = Not Applicable; N/D = Not Determined

**DISCLAIMER:** To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.