

USER MANUAL

Drinker for Small Animals | 32oz-Capacity




TABLE OF CONTENTS

PACKAGE CONTENTS	2
HOW TO USE	4
HOW TO INSTALL BRASS NOZZLE	5
HOW TO INSTALL ON A CAGE	6
HOW TO USE THE EASY-PLUG	8
HOW TO CLEAN THE AUTO-FILL CUP	10
CONTACT INFORMATION	BACK COVER


PACKAGE CONTENTS



HOW TO USE


When introducing a new type of waterer to your animals, completely remove the previous water source and replace it with the new waterer in the same location.

The position of the drinker depends on the height of your animal. *We do not provide an exact measurement as all animal sizes vary. Please use your best judgement when installing.*




HOW TO INSTALL BRASS NOZZLE

1. Using a wrench (5/8" or adjustable), grip the part of the nipple that is shaped like a hex nut and firmly twist the nipple into the drinker until tight.



-
2. Position the nipple as pictured.




HOW TO INSTALL ONTO A CAGE


We recommend placing the drinking on the outside of a cage to allow for easy refill.

1. Place the drinker on the outside of the cage with the cup facing inwards.

Depending on the cage design, you may have to attach the cup to the drinker from inside the cage in order to fit the cup inside.



2. Anchor the drinker to the cage or hardware cloth using the clips on both sides. You may turn the clips either left or right depending on if you want the drinker inside or outside the cage.



HOW TO USE THE EASY-PLUG



The "Easy-Plug" is the little silicone plug that lives underneath the drinker's lid.

It is used to stop the flow of water so that you can easily unscrew, move, and clean your drinking attachment (i.e. auto-fill cup) without creating a mess.

NOTE: To prolong the life of your drinker, we recommend washing the entire drinker at least once a week.

The bottle and lid are dishwasher-safe, top rack only. Disassemble drinker before cleaning.


Cleaning instructions for the auto-fill cup can be found on page 10.

ATTENTION! CONTENTS MAY OVERFLOW




BE AWARE OF THE
WATER LEVEL WHEN
PLACING YOUR HAND
INSIDE THE DRINKER.

1. Remove the Plug from the lid and insert the plug into the hole at the bottom of the inside of the container.



2. Unscrew the drinking attachment by its elbow.

Depending on how much water is left in the cup, we recommend placing a towel or bowl underneath the attachment.




3. After you are done unscrewing, moving, and/or cleaning, re-install the drinking attachment back onto the drinker before removing the plug. Return the plug to the lid to store for safe-keeping.

HOW TO CLEAN THE AUTO-FILL CUP


1. Clean and wipe any dirt or debris from the cup.
2. Pry one side of the tabs on the base to release the small plastic nodule out of its tab. Be careful not to break the nodule off.

There is a load-spring so make sure to take the base off slowly. Once you release the first nodule, the second tab will come off easy.



10

3. Check that all **water spouts** are clean of debris. You can use a toothpick if clogged.



11



RentACoop®

QUESTIONS?

CONTACT OUR
EGG - S P E R T S

info@rentacoop.com

1 800-642-3571

M-F 9-5 EST



@rentacoop
#rentacoop