

# SAFETY DATA SHEET

## SECTION 1 - IDENTIFICATION

**PRODUCT NAME:** Slick Willie 2  
**PART NUMBER:** SLICK2\_BX, SLICK2\_PA, SLICK2DRUM750  
**GENERAL USE:** Concrete Pump Primer  
**PRODUCT DESCRIPTION:** White powder, odorless



**MANUFACTURER'S NAME:**  
Concrete Pump Supply

**DATE PREPARED:** 24 JUL 2025

Page 1 of 4

**SUPERSEDES:** 11 SEP 2024

**ADDRESS (NUMBER, STREET)**  
5300 Riverview Rd SE

**TELEPHONE NUMBER FOR INFORMATION:**  
(678) 370-0000

**CITY, STATE, AND ZIP CODE**  
**COUNTRY**  
Mableton, GA  
30126 USA

**EMERGENCY TELEPHONE NUMBER:**  
InfoTrac (800) 535-5053; Outside USA (352) 323-3500

**DISTRIBUTOR'S NAME:**  
Concrete Pump Supply, LLC

**ADDRESS (NUMBER, STREET)**  
5300 Riverview Rd SE

**TELEPHONE NUMBER FOR INFORMATION:**  
(678) 370-0000

**CITY, STATE, AND ZIP CODE**  
**COUNTRY**  
Mableton, GA  
30126 USA

**EMERGENCY TELEPHONE NUMBER:**  
Same as Manufacturer

## SECTION 2 – HAZARD(S) IDENTIFICATION

**HAZARD CLASSIFICATION:** Health Hazard  
**SIGNAL WORD:** Warning  
**HAZARD STATEMENT(S):** May cause irritation to respiratory tract. Contact with eyes may cause irritation.  
**PICTOGRAM:** EXCLAMATION POINT and HEALTH HAZARD



**PRECAUTIONARY STATEMENT(S):** Granular powder is harmful and irritating to respiratory tract. Contact with eyes may cause irritation.

**DESCRIPTION OF HAZARDS NOT OTHERWISE CLASSIFIED:** None

## SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components	% by weight	CAS #	EINECS #	Other
Flux calcined diatomaceous Earth, may contain:	45 – 55	68855-54-9	272-489-0	
Silica, cristobalite	< 25	14464-46-1	238-455-4	
Silica, crystalline quartz (a,b)	< 2	14808-60-7	238-878-4	
Tetrasodium ethylenediaminetetraacetate hydrate	15 – 25	64-02-8	200-573-9	

## SECTION 4 – FIRST-AID MEASURES

**INHALATION:** Remove affected person to fresh air; if symptoms persist seek medical attention.

**SKIN:** Wash contacted area with soap and water; if irritation persists, seek medical attention.

**EYES:** Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

**INGESTION:** Give two glasses of water for dilution; DO NOT induce vomiting; never give anything to an unconscious person; seek medical attention.

**SECTION 5 – FIRE FIGHTING MEASURES**

**GENERAL HAZARDS:** Product is not considered flammable or combustible.

**EXTINGUISHING MEDIA:** Carbon dioxide, water, water fog, dry chemical, chemical foam.

**FIRE FIGHTING PROCEDURES:** None.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None.

**HAZARDOUS COMBUSTION PRODUCTS:** Smoke, fumes or vapors, oxides of carbon

**SECTION 6 – ACCIDENTAL RELEASE MEASURES**

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:**

Small spills: Wash to sanitary sewer with plenty of water.

Large spills: Recover and segregate product for reuse; shovel product into approved container for disposal.

**SECTION 7 – HANDLING AND STORAGE**

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Keep container closed when not in use. Protect containers from abuse. Keep container in a cool, dry area. Keep this and all chemicals out of reach of children.

**SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

HAZARDOUS COMPONENTS	NIOSH				ACGIH			
	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3
Flux, calcined diatomaceous earth, may contain:								
Silica, cristobalite	--	0.05	--	--	--	0.05	-----	-----
Silica, crystalline quartz (a,b)	--	0.05	--	--	--	0.05	-----	-----
Tetrasodium								
Ethylenediaminetetraacetate hydrate		not established					not established	

**PERSONAL PROTECTION**

**PROTECTIVE EQUIPMENT:** NIOSH approved respirator designed to remove airborne particulate present in excess of maximum allowable concentrations due to secondary operations such as mixing, spraying, sanding, buffing, et c. Neoprene or nitrile rubber gloves. Chemical splash goggles. Safety eyewash station nearby.

**WORK / HYGIENIC PRACTICES:** Practice safe workplace habits. Minimize body contact with this, as well as all chemicals, in general.

**SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**





<b>REVISION SUMMARY</b> This SDS has been revised in the following sections: Complete format revision for HazCom2012 OSHA GHS SDS	<b>MSDS PREPARED BY:</b> Concrete Pump Supply 5300 Riverview RD SE Mableton, GA 30126 Prior: Comprehensive Data Base, Inc.
<p>The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable, and suites to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.</p>	