

# SAFETY DATA SHEET

## SECTION 1 - IDENTIFICATION

**PRODUCT NAME:** Kick Start  
**PART NUMBER:** KICK\_START  
**GENERAL USE:** Concrete Pump Primer  
**PRODUCT DESCRIPTION:** White liquid, mild characteristic odor



**MANUFACTURER'S NAME:**  
Concrete Pump Supply

**DATE PREPARED:** 24 Aug 2025  
**SUPERSEDES:** 26 April 2024

Page 1 of 4

**ADDRESS (NUMBER, STREET)**  
5300 Riverview Rd., SE

**TELEPHONE NUMBER FOR INFORMATION:**  
(678) 370-0000

**CITY, STATE, AND ZIP CODE**      **COUNTRY**  
Mableton, GA 30126                      USA

**EMERGENCY TELEPHONE NUMBER:** InfoTrac  
(800) 424 9300; Outside USA (703) 527 3887

**DISTRIBUTOR'S NAME:**  
Same as Manufacturer

**ADDRESS (NUMBER, STREET)**  
Same as Manufacturer

**TELEPHONE NUMBER FOR INFORMATION:**  
Same as Manufacturer

**CITY, STATE, AND ZIP CODE**      **COUNTRY**  
Same as Manufacturer

**EMERGENCY TELEPHONE NUMBER:**  
Same as Manufacturer

## SECTION 2 – HAZARD(S) IDENTIFICATION

EYE CONTACT	Repeated or prolonged contact may cause slight irritation.
SKIN CONTACT	Repeated or prolonged contact may cause slight irritation.
INHALATION	Prolonged vapor exposure may cause slight and temporary irritation to respiratory system.
INGESTION	Harmful if swallowed.

**IMPORTANT!** – Spills of this product will create a significant slipping hazard when wet.

## SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components	% by weight	CAS #	EINECS #	Other
----------------------	-------------	-------	----------	-------

Proprietary blend. Balance of ingredients are not hazardous as defined by OSHA and 29 CFR XVII-1900.2100 Section (I) "Trade Secret." This product is a mixture.

EU: None of the components are listed in Annex I to Directive 67/548/EEC or in Annexes II, III, or V to Directive 1999/45/EC.

## SECTION 4 – FIRST-AID MEASURES

**INHALATION:** Remove affected person to fresh air; if affected person is not breathing, administer artificial respiration. If breathing difficulties persist, give oxygen, and seek emergency medical attention.

**SKIN:** Wipe off as much material as possible, then wash contacted area with soap and water; cover the skin with an emollient; if irritation persists, seek medical attention.

**EYES:** Check for and remove contact lenses. Flush eyes with clear running water for 15 minutes while holding eyelids open; if irritation persists, seek medical attention.

**INGESTION:** Rinse mouth with water. DO NOT induce vomiting; never give anything by mouth to an unconscious person; if symptoms appear, seek medical attention immediately.

**SECTION 5 – FIRE FIGHTING MEASURES**

**GENERAL HAZARDS:**

FLASH POINT	> Not applicable
SUITABLE EXTINGUISHING MEDIA	Use water spray, dry chemical, alcohol resistant foam, or carbon dioxide to extinguish flames. Use water spray to cool fire-exposed containers.
EXTINGUISHING MEDIA WHICH MUST NOT BE USED FOR SAFETY REASONS	Water with full jet.
FIRE FIGHTING EQUIPMENT	Wear full protective clothing and positive pressure breathing apparatus.
UNUSUAL HAZARDS	Toxic fumes, gases or vapors of carbon oxide (COx) and Nitrogen Oxides (NOx) may evolve on burning.

**SECTION 6 – ACCIDENTAL RELEASE MEASURES**

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Clean by soaking up material with inert absorbent material. Flush away remaining traces with plenty of water.

**SECTION 7 – HANDLING AND STORAGE**

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/vapor. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, acids, and bases.. Keep container tightly closed. Keep container in a cool area. Keep this and all chemicals out of reach of children.

**SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

HAZARDOUS COMPONENTS	NIOSH				ACGIH			
	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3	TWA ppm	TWA mg/m3	STEL ppm	STEL mg/m3
Distillates (petroleum)				200 (8hrs)				
Naphtha (petroleum)				400 (8hrs)				

**PERSONAL PROTECTION**

**PROTECTIVE EQUIPMENT:** Goggles, gloves, apron

**WORK / HYGIENIC PRACTICES:** Practice safe workplace habits. Minimize body contact with this, as well as all chemicals, in general.

**SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

<p><b>APPEARANCE AND ODOR:</b> White liquid, aliphatic</p> <p><b>BOILING POINT / BOILING RANGE:</b> &gt;100°C</p> <p><b>FLASH POINT:</b> Does not flash.</p> <p><b>FLAMMABLE LIMITS:</b> LEL: N/A UEL: N/A</p> <p><b>AUTOIGNITION TEMPERATURE:</b> Not determined</p>	<p><b>VAPOR PRESSURE:</b> 2.3kPa @ 20°C</p> <p><b>SPECIFIC GRAVITY: (WATER =1)</b> 1.19 to 1.22</p> <p><b>SOLUBILITY IN WATER:</b> Complete</p> <p><b>VISCOSITY:</b> &gt;20.5 mm<sup>2</sup>/s @40°C</p> <p><b>VAPOR DENSITY: (AIR=1)</b> &gt; 1</p> <p><b>EVAPORATION RATE: (WATER=1)</b> Not available</p>
---	--

<b>SECTION 10 – STABILITY AND REACTIVITY</b>			
<b>STABILITY</b>		<b>CONDITIONS TO AVOID:</b>	
<b>STABLE:</b> X	<b>UNSTABLE:</b>	Excess heat. Incompatible materials.	
<b>INCOMPATABILITY (MATERIALS TO AVOID:)</b> Reactive with oxidizing agents.			
<b>HAZARDOUS DECOMPOSITION OR BYPRODUCTS:</b> Decomposition will not occur if handled and stored properly. In case of a fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.			
<b>HAZARDOUS POLYMERIZATION</b>			
<b>MAY OCCUR:</b>		<b>WILL NOT OCCUR:</b> X	
<b>CONDITIONS TO AVOID:</b> None			
<b>SECTION 11 – TOXICOLOGICAL INFORMATION</b>			
Hazardous Components	CAS # EINECS #	LD50 of Ingredient	LC50 of Ingredient
(See Section #3)			
<b>SECTION 12 – ECOLOGICAL INFORMATION</b>			
Chemical spills from this product should be kept out of the water supply. See disposal procedures above.			
<b>SECTION 13 – DISPOSAL CONSIDERATIONS</b>			
<b>WASTE DISPOSAL METHOD:</b> Dispose of in accordance with local, state, and federal regulations According to the European Waste Catalogue, waste codes are application-specific and should be assigned by the user based on the application for which the product is used. See disposal procedures above.			
<b>SECTION 14 – TRANSPORT INFORMATION</b>			
<b>PROPER SHIPPING NAME:</b> Non-Hazardous for Transport		<b>IATA HAZARD CLASS / PKG GROUP:</b> N/A	
<b>DOT HAZARD CLASS / PKG GROUP:</b> N/A		<b>IMDG HAZARD CLASS:</b> N/A	
<b>REFERENCE:</b> N/A		<b>RID / ADR DANGEROUS GOODS CODE:</b> N/A	
<b>UN / NA IDENTIFICATION NUMBER:</b> N/A		<b>UN TDG CLASS / PKG GROUP:</b> N/A	
<b>LABEL:</b> N/A		<b>HAZARD IDENTIFICATION NUMBER (HIN:)</b> N/A	
<b>HAZARD SYMBOLS:</b> N/A			
Note: Transportation information provided is for reference only. Client is urged to consult 49 CFR 100 – 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials, and methods of shipping.			
<b>SECTION 15 – REGULATORY INFORMATION</b>			
<b>TSCA (USA – Toxic Substance Control Act)</b> All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume or Polymer Exemption has been granted in accordance with 40 CFR 723.50.			
<b>SARA TITLE III (USA – Superfund Amendments and Reauthorization Act)</b> Not listed as a hazardous ingredient under SARA TITLE III.			
<b>CERCLA (USA – Comprehensive Response Compensation and Liability Act)</b>			

