

## Safety Data Sheet OSHA 29 CFR 1910.1200

Printing Date: April 1, 2026

Version No.: 1.0


Revision: April 1, 2026

### SDS REPORT

West Coast Imports, Inc.  
6000 Bandini Boulevard, Commerce, California 90040

|   |   |  |
|---|---|--|
| SDS Report No.                          | : | HK0226010611-R1  |
| Compilation Date                        | : | April 1, 2026  |
| Sample Name                             | : | RECHARGEABLE LI-ION CELL   |
| Composition/Ingredient<br>of The Sample | : | See Section 3 on the SDS   |
| Service Requested                       | : | Safety Data Sheet (SDS) for the sample with submitted<br>composition.  |
| Summary                                 | : | As per request, the contents and formats of the SDS are<br>prepared in according with US Regulations Relating to<br>Labor 29 CFR 1910.1200(g), and is provided per attached. |

Signed for and on behalf of Technicka Inspekcia



Derick Qian  
Authorized Signatory

## Safety Data Sheet

### OSHA 29 CFR 1910.1200

Printing Date: April 1, 2026

Version No.: 1.0

Revision: April 1, 2026

**Trade Name:** RECHARGEABLE LI-ION CELL

#### 1 Identification

**Product identifier used on the label:**RECHARGEABLE LI-ION CELL

Contains: Lithium manganese oxide; Lithium hexafluorophosphate

**Other means of identification:**

Model No.: 3.7V 2000mAh 7.4Wh

Batch No.: IMR18650 2000mAh.

**Recommended use of the chemical and restrictions on use****Recommended use:**

Power supply.

**Restrictions on use:**

No available data.

**Name, U.S. address, and U.S. telephone number of the chemical manufacturer, importer, or other responsible party:**

West Coast Imports, Inc.

6000 Bandini Boulevard, Commerce, California 90040

**Emergency phone number**

CHEMTREC

1-800-424-9300

CCN: 1025214

#### 2 Hazard(s) identification

**Classification of the chemical in accordance with paragraph (d)(1)(i) of § 1910.1200:**

The battery is classified as hazardous based on the properties of its internal components.

**However, the product is a sealed article. Under normal conditions of use, storage, and handling, exposure to hazardous components is not expected.**

The hazards described are associated with the contents of the battery in case of damage, leakage, fire, or improper use.

**Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of § 1910.1200****Hazard symbol(s):** Not applicable**Signal word:** Not applicable**Hazard statement(s):** Not applicable**Precautionary statement(s):** Not applicable**Hazards not otherwise classified (HNOC):**

No known otherwise classified hazards.

## Safety Data Sheet

### OSHA 29 CFR 1910.1200

Printing Date: April 1, 2026

Version No.: 1.0

Revision: April 1, 2026

**Trade Name:** RECHARGEABLE LI-ION CELL**Other hazards:**

The product is an article and is not classified as hazardous under GHS in its intact form.

However, if the battery is damaged, crushed, overheated, or short-circuited, it may generate heat, rupture, leak electrolyte, or cause fire and/or explosion

### 3 Composition/information on ingredients

**Chemical characterization:**

Mixture

**Description:**

RECHARGEABLE LI-ION CELL.

**Components:**

| CAS No.    | Composition Name            | w/w, %    |
|------------|-----------------------------|-----------|
| 12057-17-9 | Lithium manganese oxide     | 30-34     |
| -          | Steel Shell                 | 20-25     |
| 21324-40-3 | Lithium hexafluorophosphate | 13-18     |
| 7782-42-5  | Graphite                    | 12.9-17.8 |
| 7440-50-8  | Copper                      | 4-6       |
| 7429-90-5  | Aluminum                    | 2-4       |
| 9003-07-0  | Polypropylene               | 0.3-0.5   |
| 1333-86-4  | Carbon Black                | 0.1-0.2   |

### 4 First aid measures

**Description of necessary measures****After inhalation:**

Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER/doctor.

**After skin contact:**

Take off immediately all contaminated clothing.

Rinse skin with water [or shower].

Immediately call a POISON CENTER/doctor.

**After eye contact:**

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a POISON CENTER/doctor.

## Safety Data Sheet

### OSHA 29 CFR 1910.1200

Printing Date: April 1, 2026

Version No.: 1.0

Revision: April 1, 2026

**Trade Name:** RECHARGEABLE LI-ION CELL

**· After swallowing:**

Rinse mouth.

Do NOT induce vomiting.

Immediately call a POISON CENTER/doctor.

**· Most important symptoms/effects, acute and delayed:**

Acute and delayed effects are as indicated in sections 2 and 11.

**· Indication of immediate medical attention and special treatment needed, if necessary:**

Treat according to symptom, there is not known specific medicine.

#### 5 Fire-fighting measures

**· Suitable (and unsuitable) extinguishing media:**

Use CO<sub>2</sub>, chemical powder, water spray or alcohol resistant foam to extinguish.

Do not use water with full jet.

**· Specific hazards arising from the chemical:**

May form corrosive/harmful dust if burning.

**· Special protective equipment and precautions for fire-fighters:**

Wear self-contained breathing apparatus for firefighting.

#### 6 Accidental release measures

**· Personal precautions, protective equipment, and emergency procedures:**

Collect the leakage timely.

Ensure adequate ventilation.

Do not breathe dust.

Avoid contact with skin and eyes.

Avoid release to the environment.

**· Methods and materials for containment and cleaning up:**

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

#### 7 Handling and storage

**· Precautions for safe handling:**

Do not breathe dust.

Do not eat, drink or smoke when using this product.

Wear personal protective equipment.

## Safety Data Sheet OSHA 29 CFR 1910.1200

Printing Date: April 1, 2026

Version No.: 1.0

Revision: April 1, 2026

**Trade Name:** RECHARGEABLE LI-ION CELL

Avoid contact with skin and eyes.

Avoid release to the environment.

**Information about fire and explosion protection:**

Keep away from heat source.

**Conditions for safe storage, including any incompatibilities**

**Requirements to be met by storerooms and receptacles:**

Store in a cool and well-ventilated place.

**Information about storage in one common storage facility:**

Keep away from foodstuffs.

**Further information about storage conditions:**

Store locked up.

### 8 Exposure controls/personal protection

**Components with limit values that require monitoring at the workplace:**

| CAS No.   | Composition  | OSHA PEL   | NIOSH REL  | ACGIH TLV   | Cal/OSHA PEL   |
|-----------|--------------|--|--|---|--|
| 7440-50-8 | Copper       | 0.1 mg/m <sup>3</sup> (fume); 1 mg/m <sup>3</sup> (dusts & mists) TWA            | 1 mg/m <sup>3</sup> (except fume); 0.1 mg/m <sup>3</sup> (fume) TWA              | 1 mg/m <sup>3</sup> (dusts and mists); 0.2 mg/m <sup>3</sup> (fume) TWA | 0.1 mg/m <sup>3</sup> (copper metal fume); 1 mg/m <sup>3</sup> (copper salts, dusts and mists) TWA |
| 7429-90-5 | Aluminum     | 15 mg/m <sup>3</sup> (total dust), 5 mg/m <sup>3</sup> (respirable fraction) TWA | 10 mg/m <sup>3</sup> (total dust), 5 mg/m <sup>3</sup> (respirable fraction) TWA | 1 mg/m <sup>3</sup> (respirable particulate matter) TWA                 | 10 mg/m <sup>3</sup> (total dust), 5 mg/m <sup>3</sup> (respirable fraction) TWA                   |
| 1333-86-4 | Carbon black | 3.5 mg/m <sup>3</sup> TWA  | 3.5 mg/m <sup>3</sup> , TWA<br>1750 mg/m <sup>3</sup> IDLH                       | 3 mg/m <sup>3</sup> (inhalable particulate matter) TWA                  | 3.5 mg/m <sup>3</sup> TWA  |

**Appropriate engineering controls:**

Handle in accordance with good industrial hygiene and safety practice.

Wash hands and face before breaks and at the end of work.

See section 7 for information about design of technical facilities.

**Individual protection measures, such as personal protective equipment:**

**Breathing equipment:**

Not required under normal conditions of use.

For industrial applications, following protection required:

## Safety Data Sheet OSHA 29 CFR 1910.1200

Printing Date: April 1, 2026

Version No.: 1.0

Revision: April 1, 2026

**Trade Name:** RECHARGEABLE LI-ION CELL



### Respiratory equipment

Use positive pressure breathing mask if concentrations in air could exceed occupational exposure standard.

**• Protection of hands:**

Not required under normal conditions of use.

For industrial applications, following protection required:



### Protective gloves

Gloves made from butyl rubber Neoprene™ rubber, nitrile rubber (thickness > 0.3mm; breakthrough times up to 480 minutes).

**• Eye protection:**

Not required under normal conditions of use.

For industrial applications, following protection required:



### Safety glasses

Protective goggles with side-shields.

**• Body Protection:**

Not required under normal conditions of use.

For industrial applications, following protection required:



### Safety boots



### Safety overalls

Gauntlets, boots, bodysuit are recommended.

## 9 Physical and chemical properties

|   |                          |
|---|--------------------------|
| • Physical state  | Solid                    |
| • Appearance:   | Cylindrical battery cell |
| • Color   | Metallic / black         |
| • Odor (includes odor threshold)                            | Odorless                 |
| • Melting point/freezing point                              | Not determined           |
| • Boiling point (or initial boiling point or boiling range) | Not determined           |
| • Flammability  | Not flammable solid      |
| • Lower and upper explosion limit/flammability limit        | Not applicable           |
| • Flash point   | Not applicable           |
| • Auto-ignition temperature                                 | Not applicable           |

This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be fully prosecuted of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. **Attention:** To check the authenticity of test report or certificate, please contact us at email: Derick@tir.sk or telephone: 0571-85892117

.ang) Co.,

## Safety Data Sheet OSHA 29 CFR 1910.1200

Printing Date: April 1, 2026

Version No.: 1.0

Revision: April 1, 2026

**Trade Name:** RECHARGEABLE LI-ION CELL

|  |                |
|--|----------------|
| • <b>Decomposition temperature</b>                         | Not determined |
| • <b>pH-value</b>  | Not determined |
| • <b>Kinematic viscosity (mm<sup>2</sup>/s)</b>            | Not applicable |
| • <b>Solubility</b>  | Not determined |
| • <b>Partition coefficient n-octanol/water (log value)</b> | Not applicable |
| • <b>Vapor pressure (includes evaporation rate)</b>        | Not applicable |
| • <b>Density and/or relative density</b>                   | Not determined |
| • <b>Relative vapor density</b>                            | Not applicable |
| • <b>Particle characteristics</b>                          | Not determined |
| • <b>Other information</b>                                 | Not determined |

### 10 Stability and reactivity

• **Reactivity:**

The product is non-reactive under normal conditions of use, storage and transport.

• **Chemical stability:**

Stable under recommended storage conditions.

• **Possibility of hazardous reactions, including those associated with foreseeable emergencies:**

No known hazardous reaction.

• **Conditions to avoid:**

High temperature.

• **Incompatible materials:**

Strong oxidizing agent and acids.

• **Hazardous decomposition products:**

No known hazardous decomposition products.

### 11 Toxicological information

• **Acute toxicity:**

Harmful if swallowed or inhaled

|                             |   |                         |
|-----------------------------|---|-------------------------|
| ATE <sub>mix</sub> (oral)   | = | 1111.11-1666.67 mg/kg   |
| ATE <sub>mix</sub> (inhal.) | = | 4.41-5 mg/l (dust/mist) |

• **LD50/LC50 values relevant for classification:**

| Species    | Effective Dose              | Results | Method/Source |
|------------|-----------------------------|---------|---------------|
| 21324-40-3 | Lithium hexafluorophosphate |         |               |

## Safety Data Sheet OSHA 29 CFR 1910.1200

Printing Date: April 1, 2026

Version No.: 1.0

Revision: April 1, 2026

**Trade Name:** RECHARGEABLE LI-ION CELL

|                        |             |              |   |
|------------------------|-------------|--------------|---|
| Rat                    | LD50-oral   | 50-300 mg/kg | ECHA registered dossier.  |
| 7782-42-5 Graphite     |             |              |   |
| Rat                    | LD50-oral   | >2000 mg/kg  | ECHA registered dossier.  |
| 1333-86-4 Carbon Black |             |              |   |
| Rat                    | LD50-oral   | >15400 mg/kg | Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15.  |
| Rabbit                 | LD50-dermal | >3000 mg/kg  | Toxicological Data, compiled by the National Institute of Health (NIH), USA, selected and distributed by Technical Database Services (TDS), New York, 2009. |

**Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations.

**Carcinogenic categories**

**IARC (International Agency for Research on Cancer):**

|           |               |    |
|-----------|---------------|----|
| 9003-07-0 | Polypropylene | 3  |
| 1333-86-4 | Carbon black  | 2B |

**NTP (National Toxicology Program):**

None of the ingredients are listed.

**OSHA (Occupational Safety & Health Administration):**

None of the ingredients are listed.

### 12 Ecological information

**Ecotoxicity:**

| Species                                | Effect dose | Test duration | Value              |
|--|-------------|---------------|--------------------|
| 21324-40-3 Lithium hexafluorophosphate |             |               |                    |
| Oryzias latipes                        | LC50        | 96h           | 369 mg/L           |
| Pimephales promelas                    | LC50        | 96h           | 42 mg/L            |
| Pimephales promelas                    | NOEC        | 96h           | 13 mg/L            |
| Oncorhynchus mykiss                    | LC50        | 96h           | 51 mg/L            |
| Pimephales promelas                    | EC50        | 22d           | 1 mg/L             |
| Pimephales promelas                    | NOEC        | 22d           | 0.2 mg/L           |
| Rainbow trout                          | LC50        | 20d           | ≥ 2.7 - ≤ 4.7 mg/L |
| Daphnia magna                          | LC50        | 48h           | >100 mg/L          |
| Daphnia magna                          | NOEC        | 48h           | 100 mg/L           |
| Daphnia magna                          | EC50        | 21d           | 29 mg/L            |
| Freshwater algae                       | EC50        | 72h           | >100 mg/l.         |
| Freshwater algae                       | NOEC        | 72h           | 22 mg/l            |

## Safety Data Sheet OSHA 29 CFR 1910.1200

Printing Date: April 1, 2026

Version No.: 1.0

Revision: April 1, 2026

**Trade Name:** RECHARGEABLE LI-ION CELL

**· Persistence and degradability:**

| CAS        | Substance                   | Biodegradation | Hydrolysis   |
|------------|-----------------------------|----------------|--------------|
| 21324-40-3 | Lithium hexafluorophosphate | -              | DT50=0.05min |

**· Bioaccumulative potential:**

| CAS        | Substance                   | Log pow | BCF |
|------------|-----------------------------|---------|-----|
| 21324-40-3 | Lithium hexafluorophosphate | -       | <31 |

**· Mobility in soil:** No available data.

**· Other adverse effects (such as hazardous to the ozone layer):**

No known other adverse effects.

### 13 Disposal consideration

**· Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging**

**· Recommendation:**

Must not be disposed together with household garbage.

**· Contaminated packaging**

**· Recommendation:**

Dispose of contents/container in accordance with the local regulation.

### 14 Transport information

**· UN-Number**

**DOT-DGR** UN3480

**IMO/IMDG (42-24)** UN3480

**IATA-DGR (67th)** UN3480

**· UN proper shipping name**

**DOT-DGR** LITHIUM ION BATTERIES

**IMO/IMDG (42-24)** LITHIUM ION BATTERIES

**IATA-DGR (67th)** LITHIUM ION BATTERIES

**· Transport hazard class (es)**

**DOT-DGR**



**Class**

9 Miscellaneous dangerous substances and articles



## Safety Data Sheet OSHA 29 CFR 1910.1200

Printing Date: April 1, 2026

Version No.: 1.0

Revision: April 1, 2026

**Trade Name:** RECHARGEABLE LI-ION CELL

|   |   |
|---|---|
| <b>Label</b>  | 9   |
| <b>IMO-IMDG (42-24)</b>   |  |
| <b>Class</b>  | 9 Miscellaneous dangerous substances and articles                                 |
| <b>Label</b>  | 9   |
| <b>IATA-DGR (67th)</b>  |  |
| <b>Class</b>  | 9 Miscellaneous dangerous substances and articles                                 |
| <b>Label</b>  | 9   |
| <b>• Packing group</b>  |   |
| <b>DOT-DGR</b>  | Void  |
| <b>IMO/IMDG (42-24)</b>   | Void  |
| <b>IATA-DGR (67th)</b>  | Void  |
| <b>• Environmental hazardous</b>  |   |
| <b>• Marine pollution</b>   | Not applicable  |
| <b>• Special precautions for user</b>   | Warning: Miscellaneous dangerous substances and articles                          |
| <b>• Danger code (Kemler)</b>   | Not applicable  |
| <b>• EMS number</b>   | F-A, S-I  |
| <b>• Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b> | -   |
| <b>• UN "Model Regulation"</b>  | UN3480, LITHIUM ION BATTERIES, 9  |
| <b>• Additional information</b>   |   |
| <b>Land transport (DOT-DGR)</b>   |   |
| <b>Limited quantity</b>   | Passenger aircraft/ rai: Forbidden<br>Cargo aircraft only: 35 kg                  |
| <b>Special provisions</b>   | 388, 422, A54, A100<br>Small lithium battery exception (49 CFR 173.185(c))        |
| <b>Sea transport (IMO-IMDG)</b>   |   |
| <b>Limited quantity</b>   | 0   |
| <b>Special provisions</b>   | 188, 230, 310, 348, 376, 377, 384, 387  |
| <b>• Air transport (IATA-DGR)</b>   |   |
| <b>Limited quantity</b>   | Passenger and Cargo Aircraft: Forbidden<br>Cargo Aircraft Only: 35 kg             |
| <b>Special provisions</b>   | A88, A99, A154, A164, A183, A201, A206, A213, A331, A334, A802                    |

## Safety Data Sheet OSHA 29 CFR 1910.1200

Printing Date: April 1, 2026

Version No.: 1.0

Revision: April 1, 2026

**Trade Name:** RECHARGEABLE LI-ION CELL

### 15 Regulatory information

• **Safety, health and environmental regulations/legislation specific for the substance or mixture**

• **Sara**

• **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

• **Section 313 (Specific toxic chemical listings):**

|           |          |
|-----------|----------|
| 7440-50-8 | Copper   |
| 7429-90-5 | Aluminum |

• **TSCA (Toxic Substances Control Act):**

|            |                             |        |
|------------|-----------------------------|--------|
| 12057-17-9 | Lithium manganese oxide     | Listed |
| 21324-40-3 | Lithium hexafluorophosphate | Listed |
| 7782-42-5  | Graphite                    | Listed |
| 7440-50-8  | Copper                      | Listed |
| 7429-90-5  | Aluminum                    | Listed |
| 9003-07-0  | Polypropylene               | Listed |
| 1333-86-4  | Carbon black                | Listed |

• **Proposition 65**

• **Chemicals known to cause cancer:**

|           |   |
|-----------|---|
| 1333-86-4 | Carbon black (airborne, unbound particles of respirable size) |
|-----------|---|

• **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

• **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

• **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

• **Washington, WAC 173-334-130 (CHCC):**

None of the ingredients are listed.

• **Chemicals of Concern, published by Maine DEP on July, 2015:**

None of the ingredients are listed.

• **Chemicals of High Concern to Children, published by Department of Health, Vermont, Rev Date Nov 24, 2014:**

None of the ingredients are listed.

• **High Priority Chemicals of Concern for children's Health, Oregon, update on May 18, 2016:**

None of the ingredients are listed.

• **Carcinogenicity categories**

• **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

• **TLV (Threshold Limit Value established by ACGIH):**

# Safety Data Sheet

## OSHA 29 CFR 1910.1200

Printing Date: April 1, 2026

Version No.: 1.0

Revision: April 1, 2026

Trade Name: RECHARGEABLE LI-ION CELL

|   |              |    |
|---|--------------|----|
| 1333-86-4   | Carbon black | A3 |
| <b>• NIOSH-Ca (National Institute for Occupational Safety and Health):</b><br>None of the ingredients are listed. |              |    |

### 16 Other information

- **Date of preparation** : 1 April 2026
- **Version** : 1.0

\*\*\*\*\*  
• **The contents and format of this SDS are in accordance with 29 CFR 1910.1200(g).**

• **DISCLAIMER OF LIABILITY:**

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

• **Abbreviations and acronyms:**

- DOT: Department of Transportation
- IMDG: International Maritime Code for Dangerous Goods.
- IATA: International Air Transport Association
- LD50: Lethal dose, 50 percent
- LC50: Lethal concentration, 50 percent
- EC50: Concentration of maximal effect, 50 percent
- NOEC: No observed effect concentration
- PEL: Permissible Exposure Limit
- TLV: Threshold limit value
- REL: Recommended Exposure Limit

\*\*\*\*\*  
End of safety data sheet