



TEST REPORT

LAB NO. : (9326)175-0795-R2
DATE : Jul 09, 2026
PAGE : 1 OF 11

The report is amendment of and supersedes the previous report (9326)175-0795-R1 dated Jul 08, 2026

APPLICANT : **NINGBO MEIQI TOOL CO., LTD.**
NO.208, ZHUQUAN RD, TAOYUAN STREET, NINGHAI,
NINGBO, ZHEJIANG, CHINA

CONTACT PERSON : /

DATE OF SUBMISSION : Jun 24, 2026

TEST PERIOD : Jun 24, 2026 to Jun 30, 2026

SAMPLE DESCRIPTION : Plastic tool box

Color: /

Style no. / Model no.: MJ-1670, MJ-5018-TAN, MJ-5024, MJ-6060-TAN, MJ-6062,
MJ-6077, MJ-2042-BLK, MJ-2043-Red+BLK, MJ-5013-BLK,
MJ-5015-BLK, MJ-5018-BLK, MJ-5018-ORG, MJ-5018-GRN,
MJ-5022-BLK, MJ-5023-BLK, MJ-6060-ORG, MJ-6060-GRN,
MJ-6060-BLK, MJ-6064-BLK, MJ-6061, MJ-5017

P.O. No.: /

Country of Origin: /

Country of Destination: /

BUYER : /

MANUFACTURER : Ningbo MeiQi Tool Co., Ltd.
No.208, Zhuquan Rd, Taoyuan Street, Ninghai, Ningbo, Zhejiang,
China

SUMMARY OF TEST RESULTS

TEST REQUESTED	CONCLUSION	REMARK
Total Lead Content in Tool Bags with Grips or Handles - California Proposition 65	PASS	
Di(2-Ethylhexyl) Phthalate (DEHP) Content in Tool bags with Grips or Handles - California Proposition 65	PASS	
Total lead in security products (CA Prop 65)	PASS	
Phthalates in security products (CA Prop 65)	PASS	
Phthalates in storage bin and box (CA Prop 65)	PASS	
Total Cadmium Content- Reference to California Proposition 65	PASS	

RW

Bureau Veritas Consumer Products Services
(Guangzhou) Co., Ltd
No. 183, Shinan Road, Meilin Plaza, Dongchong,
Nansha, Guangzhou, Guangdong Province, China
511453
Tel: (86) 20 2290 2088 Fax: (86) 20 3490 9303
Email: BVCPS_pyinfo@bureauveritas.com
Website: cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

The content of this PDF file is in accordance with the original issued reports for reference only.
This Test Report cannot be reproduced, except in full, without prior written permission of the company.



LAB NO. : (9326)175-0795-R2
DATE : Jul 09, 2026
PAGE : 2 OF 11

SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

ITEM	ITEM DESCRIPTION
1	Khaki plastic (body)
2	Black plastic (handle/ rotary button, PP)
3	Black soft plastic (on handle, rubber)
4	Black plastic (snap fastener, ABS)
5	Black foam (in box, EVA)
6	Grey soft plastic (sealing strip, rubber)
7	Silvery metal (axis)

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (GUANGZHOU) CO., LTD.

Andy

ANDY WANG
OPERATION MANAGER



REMARK


If there are questions or concerns on this report, please contact the following persons:


- a) GENERAL TEL: (86)755 83437287
FAX: (86)755 83439100
- b) BUSINESS SZ TEL: (86)755 21534695
FAX: (86)755 83439100
BUSINESS GZ TEL: (86) 20 87148525
FAX: (86) 20 87148528
- EMAIL: eechemical.sc@bureauveritas.com
WEBSITE: cps.bureauveritas.cn

Photo of the Submitted Sample



Photograph of test item(s)





Total Lead Content in Tool Bags with Grips or Handles - California Proposition 65

Maximum Allowable Limit :		100 mg/kg		
-	Unit	Result		
Test Item(s)	-	1+2+4	3+5+6	7
Parameter	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND
Conclusion	-	PASS	PASS	PASS

ND = Not detected
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
% = percent
Detection Limit (mg/kg) : 10

“>” = Greater than
10 000 mg/kg = 1 %
U. S. EPA = United States Environmental Protection Agency

- Accessible surface coating(s) and substrate(s) of tool bag(s) with grip(s) or handle(s) are applicable to be tested with the exclusion for non-suspect materials (Except leather) as defined by the United States Consumer Products Safety Commission (CPSC) in Code of Federal Regulations (CFR), Title 16, Sections 1500.91 (d) and (e).
- Apart from this requirement, product(s) has (have) to comply together with the lead content requirement with the maximum allowable limit of 1.0 microgram.
- Vendor is responsible for the compliance of the non-suspect material(s) which was (were) not tested.
- Product(s) with total lead content exceeding this maximum allowable limit has (have) to reformulate.



LAB NO. : (9326)175-0795-R2
DATE : Jul 09, 2026
PAGE : 6 OF 11

TEST RESULT

Di(2-Ethylhexyl) Phthalate (DEHP) Content in Tool bags with Grips or Handles - California Proposition 65

Maximum Allowable Limit :	0.1 %		
Test Item(s)	Result	Unit	Conclusion
1+2+4	0.009	%	PASS
3+5+6	ND	%	PASS

Note / Key :

ND = Not detected
% = percent
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
Detection Limit (%) : 0.005

“>” = Greater than

1 % = 10 000 mg/kg

Remark :

- Accessible plastic substrate(s) (Including natural and synthetic rubber) and surface coating(s) of tool bag(s) with grip(s) or handle(s) is (are) applicable to be tested.
- Vendor is responsible for the compliance of all other material(s) which was (were) not tested above.
- Product(s) with DEHP content exceeding this maximum allowable limit has (have) to reformulate.



LAB NO. : (9326)175-0795-R2
DATE : Jul 09, 2026
PAGE : 7 OF 11

TEST RESULT

Total lead in security products (CA Prop 65)

	Alameda Superior Court RG17875695	MEET	PASS
	Alloy materials from which the brass or other metallic components of security products shall not exceed 300 mg/kg of total lead(Pb). When exceeded, shall utilize warning.		

Style(s)	Test Item(s)	Unit(s)	Requirement(s)	Result(s)	Conclusion
-	1+2+4	mg/kg	Max. 300	Not detected	Pass
-	3+5+6	mg/kg	Max. 300	Not detected	Pass
-	7	mg/kg	Max. 300	Not detected	Pass

Key(s) :

Detection Limit (mg/kg) - 10

Remark(s) :

- Test Item(s) was (were) digested by acid and followed by Atomic Absorption Spectrometer with Vapor Generation Accessory (AAS-VGA) or Inductively Coupled Plasma - Atomic Emission Spectrometer (ICP-AES) analysis.



LAB NO. : (9326)175-0795-R2
 DATE : Jul 09, 2026
 PAGE : 8 OF 11

TEST RESULT

Phthalates in security products (CA Prop 65)

Alameda Superior Court RG17875695	MEET	PASS
Accessible plastic substrate materials of security products shall not exceed 1 000 mg/kg each of BBP, DBP, DEHP, DINP, DIDP and DnHP. When exceeded, utilize warning.		

Style(s)	Test Item(s)	Result(s) [Unit in mg/kg]		Conclusion
		Detected Analyte(s)	Concentration	
-	1+2+4	DEHP	90	Pass
-	3+5+6	Not detected	Not detected	Pass

Key(s) :

Detection Limit (mg/kg) - Each of the listed phthalates : 50

Remark(s) :

- Test Item(s) was (were) extracted by organic solvent and followed by Gas Chromatograph Mass Spectrometer (GC-MS) or Liquid Chromatograph Mass Spectrometer (LC-MS) analysis.
- The test list of phthalates is summarized in below table.

Test List of Phthalates [Phthalates in security products (CA Prop 65)] :

Number	Name of Analyte(s)	CAS-Nr.	Number	Name of Analyte(s)	CAS-Nr.
1	Benzyl butyl phthalate (BBP)	85-68-7	4	Di-iso-decyl phthalate (DIDP)	26761-40-0 & 68515-49-1
2	Dibutyl phthalate (DBP)	84-74-2	5	Di-iso-nonyl phthalate (DINP)	28553-12-0 & 68515-48-0
3	Di-2-ethylhexyl phthalate (DEHP)	117-81-7	6	Di-n-hexyl phthalate (DnHP)	84-75-3

CAS-Nr. = Chemical Abstracts Service Registry Number



LAB NO. : (9326)175-0795-R2
DATE : Jul 09, 2026
PAGE : 9 OF 11

TEST RESULT

Phthalates in storage bin and box (CA Prop 65)

	Alameda Superior Court RG13-685838 / Marin Superior Court CIV-1105882 / Santa Clara Superior Court 114CV274391 / Out of Court Settlement 2021-02860S1117 Accessible PVC, soft plastic, vinyl & synthetic leather substrates of storage bins & boxes shall have $\leq 1\ 000$ mg/kg each of BBP, DBP, DEHP & DINP. Labeling is not allowed.	MEET	PASS
--	---	------	------

Style(s)	Test Item(s)	Result(s) [Unit in mg/kg]		Conclusion
		Detected Analyte(s)	Concentration	
-	1+2+4	Not detected	Not detected	Pass
-	3+5+6	Not detected	Not detected	Pass

Key(s) :

Detection Limit (mg/kg) - Each of the listed phthalates : 50

Remark(s) :

- Test Item(s) was (were) extracted by organic solvent and followed by Gas Chromatograph Mass Spectrometer (GC-MS) or Liquid Chromatograph Mass Spectrometer (LC-MS) analysis.
- The test list of phthalates is summarized in below table.

Test List of Phthalates [Phthalates in storage bin and box (CA Prop 65)] :

Number	Name of Analyte(s)	CAS-Nr.	Number	Name of Analyte(s)	CAS-Nr.
1	Benzyl butyl phthalate (BBP)	85-68-7	3	Di-2-ethylhexyl phthalate (DEHP)	117-81-7
2	Dibutyl phthalate (DBP)	84-74-2	4	Di-iso-nonyl phthalate (DINP)	28553-12-0 & 68515-48-0

CAS-Nr. = Chemical Abstracts Service Registry Number



LAB NO. : (9326)175-0795-R2
DATE : Jul 09, 2026
PAGE : 10 OF 11

TEST RESULT

Total Cadmium Content- Reference to California Proposition 65

Test Method : Sample was digested with acid and then analyzed by Inductively Coupled Argon Plasma Spectrometer.

Limit :	100 mg/kg			
-	Unit	Result		
Test Item(s)	-	1+2+4	3+5+6	7
Parameter	-	-	-	-
Total Cadmium (Cd)	mg/kg	ND	ND	ND
Conclusion	-	PASS	PASS	PASS

Note / Key :

ND = Not detected

“>” = Greater than

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

10 000 mg/kg = 1 %

% = percent

No. = Number(s)

Detection Limit (mg/kg) : Each : 10



LAB NO. : (9326)175-0795-R2
DATE : Jul 09, 2026
PAGE : 11 OF 11

AMENDMENT DETAILS

No.	Changes
1	Revise Style no.
2	Revise Style no.

END