

# SAFETY DATA SHEET



Issuing Date 05-Mar-2026

Revision date 05-Mar-2026

Revision Number 1

## 1. Identification

### Product identifier

Product Name Steel electrode USF

### Other means of identification

Product Code(s) WF00110

Synonyms None.

### Recommended use of the chemical and restrictions on use

Recommended use Covered Electrode for Shielded Metal Arc Welding (SMAW)

Restrictions on use No information available

### Details of the supplier of the safety data sheet

#### Supplier Address

US Forge, N94W14355 Garwin Mace Dr., Menomonee Falls, WI 53051 USA

### Emergency telephone number

Company Phone Number 1-800-343-3758

Emergency Telephone Chemtrec 1-800-424-9300

## 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

|                 |             |
|-----------------|-------------|
| Carcinogenicity | Category 1A |
|-----------------|-------------|

### Hazards not otherwise classified (HNOC)

Not applicable

### Label elements

#### **Danger**

#### Hazard statements

May cause cancer



|                                    |                             |                      |
|------------------------------------|-----------------------------|----------------------|
| <b>Appearance</b> Coated electrode | <b>Physical state</b> Solid | <b>Odor</b> Odorless |
|------------------------------------|-----------------------------|----------------------|

**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other information**

Harmful to aquatic life with long lasting effects  
 When this product is used in a welding process, the hazards are mostly from electric shock, heat, radiation, fumes and gases. Electric shock can kill. Arc rays, spatter, and melting metals can severely injure eyes and burn skin. Welding arc and sparks can cause fire  
 Fumes and gases can be dangerous to your health. Certain medical studies have suggested that nervous system and/or lung damage can result from overexposure to welding fumes and gases  
 The welding fumes and gases produced from welding rod, coating flux, and base metal in a welding process may contain manganese and manganese compounds, nickel and nickel compounds, chromium (VI) and chromium compound, carbon dioxide, carbon monoxide, nitrogen dioxide, and ozone.  
 Overexposure to manganese and its compounds may cause metal fume fever and affect the central nervous system. Prolonged inhalation of nickel and chromium (VI) compounds above safe exposure limits can cause cancer

**Unknown acute toxicity** 95.21144 % of the mixture consists of ingredient(s) of unknown toxicity

- 1.8 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 89.25144 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 95.21144 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 95.21144 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 93.21144 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

### 3. Composition/information on ingredients

**Substance**

Not applicable.

**Mixture**

| Chemical name             | CAS No.    | Weight-% | Trade secret |
|---------------------------|------------|----------|--------------|
| Titanium dioxide          | 13463-67-7 | 7-13     | *            |
| Kaolin                    | 1332-58-7  | 1-5      | *            |
| Manganese                 | 7439-96-5  | 1-5      | *            |
| Powdered Cellulose coarse | 9004-34-6  | 1-5      | *            |
| QUARTZ                    | 14808-60-7 | 0.1-1    | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First-aid measures

**Description of first aid measures**

|                |                                                                                                                      |
|----------------|----------------------------------------------------------------------------------------------------------------------|
| General advice | IF exposed or concerned: Get medical advice/attention.                                                               |
| Inhalation     | Remove to fresh air.                                                                                                 |
| Eye contact    | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. |
| Skin contact   | Wash skin with soap and water.                                                                                       |
| Ingestion      | Clean mouth with water and drink afterwards plenty of water.                                                         |

**Most important symptoms and effects, both acute and delayed**

|          |                           |
|----------|---------------------------|
| Symptoms | No information available. |
|----------|---------------------------|

**Indication of any immediate medical attention and special treatment needed**

|                    |                        |
|--------------------|------------------------|
| Note to physicians | Treat symptomatically. |
|--------------------|------------------------|

**5. Fire-fighting measures**

|                                                |                                                                                                                                    |
|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Suitable Extinguishing Media                   | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                            |
| Unsuitable extinguishing media                 | CAUTION: Use of water spray when fighting fire may be inefficient.                                                                 |
| Specific hazards arising from the chemical     | No information available.                                                                                                          |
| Explosion data                                 |                                                                                                                                    |
| Sensitivity to mechanical impact               | None.                                                                                                                              |
| Sensitivity to static discharge                | None.                                                                                                                              |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures**

|                      |                                                          |
|----------------------|----------------------------------------------------------|
| Personal precautions | Ensure adequate ventilation.                             |
| Other information    | Refer to protective measures listed in Sections 7 and 8. |

**Methods and material for containment and cleaning up**

|                         |                                                       |
|-------------------------|-------------------------------------------------------|
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Pick up and transfer to properly labeled containers.  |

**7. Handling and storage****Precautions for safe handling**

|                         |                                                                                                                   |
|-------------------------|-------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling | Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. |
|-------------------------|-------------------------------------------------------------------------------------------------------------------|

**Conditions for safe storage, including any incompatibilities**

|                    |                                                                          |
|--------------------|--------------------------------------------------------------------------|
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. |
|--------------------|--------------------------------------------------------------------------|

## 8. Exposure controls/personal protection

### Control parameters

#### Exposure Limits

| Chemical name                          | ACGIH TLV                                                                                                                    | OSHA PEL                                                                                                                                                                                                                                 | NIOSH IDLH                                                                                                                                            |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| Titanium dioxide<br>13463-67-7         | TWA: 10 mg/m <sup>3</sup>                                                                                                    | TWA: 15 mg/m <sup>3</sup> total dust<br>(vacated) TWA: 10 mg/m <sup>3</sup> total dust                                                                                                                                                   | IDLH: 5000 mg/m <sup>3</sup><br>TWA: 2.4 mg/m <sup>3</sup> CIB 63 fine<br>TWA: 0.3 mg/m <sup>3</sup> CIB 63 ultrafine, including engineered nanoscale |
| Kaolin<br>1332-58-7                    | TWA: 2 mg/m <sup>3</sup> particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter | TWA: 15 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable fraction<br>(vacated) TWA: 10 mg/m <sup>3</sup> total dust<br>(vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction                                         | TWA: 10 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable dust                                                                      |
| Manganese<br>7439-96-5                 | TWA: 0.02 mg/m <sup>3</sup> respirable particulate matter<br>TWA: 0.1 mg/m <sup>3</sup> inhalable particulate matter         | (vacated) TWA: 1 mg/m <sup>3</sup> fume<br>(vacated) STEL: 3 mg/m <sup>3</sup> fume<br>(vacated) Ceiling: 5 mg/m <sup>3</sup> fume<br>Ceiling: 5 mg/m <sup>3</sup> fume                                                                  | IDLH: 500 mg/m <sup>3</sup><br>TWA: 1 mg/m <sup>3</sup> fume<br>STEL: 3 mg/m <sup>3</sup>                                                             |
| Powdered Cellulose coarse<br>9004-34-6 | TWA: 10 mg/m <sup>3</sup>                                                                                                    | TWA: 15 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable fraction<br>(vacated) TWA: 15 mg/m <sup>3</sup> total dust<br>(vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction<br>(vacated) STEL: 10 mg/m <sup>3</sup> | TWA: 10 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable dust                                                                      |
| QUARTZ<br>14808-60-7                   | TWA: 0.025 mg/m <sup>3</sup> respirable particulate matter                                                                   | TWA: 50 µg/m <sup>3</sup><br>(vacated) TWA: 0.1 mg/m <sup>3</sup> respirable dust<br>: (250)/(%SiO <sub>2</sub> + 5) mppcf<br>TWA respirable fraction<br>: (10)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup><br>TWA respirable fraction     | IDLH: 50 mg/m <sup>3</sup> respirable dust<br>TWA: 0.05 mg/m <sup>3</sup> respirable dust                                                             |

### Appropriate engineering controls

#### Engineering controls

Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

No special protective equipment required.

#### Hand protection

Wear suitable gloves.

#### Skin and body protection

Wear suitable protective clothing.

#### Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

#### General hygiene considerations

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

## 9. Physical and chemical properties

**Information on basic physical and chemical properties**

|                |                          |
|----------------|--------------------------|
| Physical state | Solid                    |
| Appearance     | Coated electrode         |
| Color          | blue brown yellow        |
| Odor           | Odorless                 |
| Odor threshold | No information available |

| <u>Property</u>                        | <u>Values</u>            | <u>Remarks • Method</u> |
|----------------------------------------|--------------------------|-------------------------|
| pH                                     | No data available        | None known              |
| Melting point / freezing point         | No data available        | None known              |
| Boiling point / boiling range          | No data available        | None known              |
| Flash point                            | No data available        | None known              |
| Evaporation rate                       | No data available        | None known              |
| Flammability (solid, gas)              | No data available        | None known              |
| Flammability Limit in Air              |                          | None known              |
| Upper flammability or explosive limits | No data available        |                         |
| Lower flammability or explosive limits | No data available        |                         |
| Vapor pressure                         | No data available        | None known              |
| Vapor density                          | No data available        | None known              |
| Relative density                       | No data available        | None known              |
| Water solubility                       | No data available        | None known              |
| Solubility in other solvents           | No data available        | None known              |
| Partition coefficient                  | No data available        | None known              |
| Autoignition temperature               | No data available        | None known              |
| Decomposition temperature              | No data available        | None known              |
| Kinematic viscosity                    | No data available        | None known              |
| Dynamic viscosity                      | No data available        | None known              |
| <b>Other information</b>               |                          |                         |
| Explosive properties                   | No information available |                         |
| Oxidizing properties                   | No information available |                         |
| Softening point                        | No information available |                         |
| Molecular weight                       | No information available |                         |
| VOC Content (%)                        | No data available        |                         |
| Liquid Density                         | No information available |                         |
| Bulk density                           | No information available |                         |

**10. Stability and reactivity**

|                                    |                                           |
|------------------------------------|-------------------------------------------|
| Reactivity                         | No information available.                 |
| Chemical stability                 | Stable under normal conditions.           |
| Possibility of hazardous reactions | None under normal processing.             |
| Conditions to avoid                | None known based on information supplied. |
| Incompatible materials             | None known based on information supplied. |
| Hazardous decomposition products   | None known based on information supplied. |

**11. Toxicological information****Information on likely routes of exposure****Product Information**

|                     |                                                                   |
|---------------------|-------------------------------------------------------------------|
| <b>Inhalation</b>   | Specific test data for the substance or mixture is not available. |
| <b>Eye contact</b>  | Specific test data for the substance or mixture is not available. |
| <b>Skin contact</b> | Specific test data for the substance or mixture is not available. |
| <b>Ingestion</b>    | Specific test data for the substance or mixture is not available. |

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** No information available.

**Acute toxicity****Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document

|                                      |                 |
|--------------------------------------|-----------------|
| <b>ATEmix (oral)</b>                 | 18,607.70 mg/kg |
| <b>ATEmix (dermal)</b>               | 6,004.10 mg/kg  |
| <b>ATEmix (inhalation-dust/mist)</b> | 19.71 mg/l      |

**Unknown acute toxicity** 95.21144 % of the mixture consists of ingredient(s) of unknown toxicity  
 1.8 % of the mixture consists of ingredient(s) of unknown acute oral toxicity  
 89.25144 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
 95.21144 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)  
 95.21144 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)  
 93.21144 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information**

| Chemical name                          | Oral LD50             | Dermal LD50                                    | Inhalation LC50                      |
|----------------------------------------|-----------------------|------------------------------------------------|--------------------------------------|
| Titanium dioxide<br>13463-67-7         | > 10000 mg/kg ( Rat ) | -                                              | -                                    |
| Kaolin<br>1332-58-7                    | > 5000 mg/kg ( Rat )  | > 5000 mg/kg ( Rat )                           | -                                    |
| Manganese<br>7439-96-5                 | = 9 g/kg ( Rat )      | -                                              | -                                    |
| Powdered Cellulose coarse<br>9004-34-6 | > 5 g/kg ( Rat )      | > 2 g/kg ( Rabbit ) > 2000<br>mg/kg ( Rabbit ) | > 5800 mg/m <sup>3</sup> ( Rat ) 4 h |

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** Classification based on data available for ingredients.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name                             | ACGIH | IARC     | NTP   | OSHA |
|-------------------------------------------|-------|----------|-------|------|
| Titanium dioxide<br>13463-67-7            | -     | Group 2B | -     | X    |
| Powdered Cellulose<br>coarse<br>9004-34-6 | -     | Group 1  | Known | X    |
| QUARTZ                                    | A2    | Group 1  | Known | X    |

|            |  |  |  |  |
|------------|--|--|--|--|
| 14808-60-7 |  |  |  |  |
|------------|--|--|--|--|

**Legend****ACGIH (American Conference of Governmental Industrial Hygienists)**

A2 - Suspected Human Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

**NTP (National Toxicology Program)**

Known - Known Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

|                                 |                                                                                                            |
|---------------------------------|------------------------------------------------------------------------------------------------------------|
| <b>Reproductive toxicity</b>    | No information available.                                                                                  |
| <b>STOT - single exposure</b>   | No information available.                                                                                  |
| <b>STOT - repeated exposure</b> | No information available.                                                                                  |
| <b>Target organ effects</b>     | kidney, Respiratory system, Eyes, Skin, Central nervous system, blood, Lungs, Gastrointestinal tract (GI). |
| <b>Aspiration hazard</b>        | No information available.                                                                                  |
| <b>Other adverse effects</b>    | No information available.                                                                                  |
| <b>Interactive effects</b>      | No information available.                                                                                  |

**12. Ecological information****Ecotoxicity** Harmful to aquatic life with long lasting effects.

| Chemical name          | Algae/aquatic plants | Fish                                         | Toxicity to microorganisms | Crustacea |
|------------------------|----------------------|----------------------------------------------|----------------------------|-----------|
| Manganese<br>7439-96-5 | -                    | LC50: >3.6mg/L (96h,<br>Oncorhynchus mykiss) | -                          | -         |

|                                      |                                    |
|--------------------------------------|------------------------------------|
| <b>Persistence and degradability</b> | No information available.          |
| <b>Bioaccumulation</b>               | There is no data for this product. |
| <b>Other adverse effects</b>         | No information available.          |

**13. Disposal considerations****Waste treatment methods**

|                                            |                                                                                                                 |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| <b>Waste from residues/unused products</b> | Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations. |
| <b>Contaminated packaging</b>              | Do not reuse empty containers.                                                                                  |

**California Hazardous Waste Status** This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste Status |
|---------------|-----------------------------------|
|---------------|-----------------------------------|

|                        |                  |
|------------------------|------------------|
| Manganese<br>7439-96-5 | Ignitable powder |
|------------------------|------------------|

## 14. Transport information

|                   |               |
|-------------------|---------------|
| <u>DOT</u>        | Not regulated |
| <u>TDG</u>        | Not regulated |
| <u>MEX</u>        | Not regulated |
| <u>ICAO (air)</u> | Not regulated |
| <u>IATA</u>       | Not regulated |
| <u>IMDG</u>       | Not regulated |
| <u>RID</u>        | Not regulated |
| <u>ADR</u>        | Not regulated |
| <u>ADN</u>        | Not regulated |

## 15. Regulatory information

### International Inventories

|               |                                                   |
|---------------|---------------------------------------------------|
| TSCA          | Contact supplier for inventory compliance status. |
| DSL/NDSL      | Contact supplier for inventory compliance status. |
| EINECS/ELINCS | Contact supplier for inventory compliance status. |
| ENCS          | Contact supplier for inventory compliance status. |
| IECSC         | Contact supplier for inventory compliance status. |
| KECL          | Contact supplier for inventory compliance status. |
| PICCS         | Contact supplier for inventory compliance status. |
| AICS          | Contact supplier for inventory compliance status. |

### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals:.

| Chemical name                 | California Proposition 65 |
|-------------------------------|---------------------------|
| Titanium dioxide - 13463-67-7 | Carcinogen                |
| QUARTZ - 14808-60-7           | Carcinogen                |
| Nickel - 7440-02-0            | Carcinogen                |

**U.S. State Right-to-Know Regulations****US State Regulations**

| Chemical name                          | New Jersey | Massachusetts | Pennsylvania |
|----------------------------------------|------------|---------------|--------------|
| Titanium dioxide<br>13463-67-7         | X          | X             | X            |
| Water<br>7732-18-5                     | -          | -             | X            |
| Kaolin<br>1332-58-7                    | X          | X             | X            |
| Manganese<br>7439-96-5                 | X          | X             | X            |
| Powdered Cellulose coarse<br>9004-34-6 | X          | X             | X            |
| Feldspar<br>68476-25-5                 | X          | -             | X            |
| QUARTZ<br>14808-60-7                   | X          | X             | X            |

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**16. Other information**

|                                   |                                  |                       |                           |                                           |
|-----------------------------------|----------------------------------|-----------------------|---------------------------|-------------------------------------------|
| <b>NFPA</b>                       | <b>Health hazards</b> 1          | <b>Flammability</b> 0 | <b>Instability</b> 0      | <b>Physical and chemical properties</b> - |
| <b>HMIS</b>                       | <b>Health hazards</b> * 2 1      | <b>Flammability</b> 0 | <b>Physical hazards</b> 0 | <b>Personal protection</b> X              |
| <i>Chronic Hazard Star Legend</i> | <i>* = Chronic Health Hazard</i> |                       |                           |                                           |

**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

|         |                             |      |                                  |
|---------|-----------------------------|------|----------------------------------|
| TWA     | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value         | *    | Skin designation                 |

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
RTECS (Registry of Toxic Effects of Chemical Substances)  
World Health Organization

**Issuing Date** 05-Mar-2026

**Revision date** 05-Mar-2026

**Revision Note** No information available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**