




THE PET GAZEBO[®]

INSTRUCTION MANUAL

8' PET GAZEBO




23408

www.petgazebo.com

THE PET GAZEBO

PARTS SECTION:

A	Gate Panel - in two split sections	x 1
B	Side Panel - in two split sections	x 7
C	Nylon Connector	x 16
D	Self Tapping Set Screws	x 16
E	Roof Support Hub	x 1
F	Roof Arm Support - 3 parts connected together	x 8
G	Ball Ties	x 8
H	Canopy	x 1
I	Roof Support Cap	x 1




CONGRATULATIONS! WELCOME TO THE PET GAZEBO® FAMILY

The PET GAZEBO® provides your pet with a safe and secure place to play or rest. Whether you are using it indoors as a crate or outdoors in place of an ordinary exercise pen or kennel The PET GAZEBO® adds piece of mind with a flare for style.

Make sure to check out www.petgazebo.com regularly for the latest and greatest accessories to CUSTOMIZE your pets experience and make your life easier.

ASSEMBLY INSTRUCTIONS:




1 Assemble Each Panel Section

Pair the upper part and lower part of each panel.


The "U" Channel on the upper section will fit firmly over the wire mesh of the lower section.

Once the two sections are properly connected they will be held in place with the "button lock".



2 Begin with two **Side Panels**. Place **Nylon Panel Connectors** on the bottom of both ends of one panel.

Note: All **Nylon Panel Connectors** are identical




- 3** Place a **Nylon Panel Connector** on to one side of another **Side Panel** and insert the second **Side Panel** into a **Nylon Panel Connector** of the first **Side Panel**.


Attach a **Nylon Panel Connector** to join the 2 **Side Panels** at the top so the unit can stand freely.



- 3a** Repeat these steps until you have an octagonal shape. Make sure the **Gate Panel** are placed where both panels can be opened from the outside.



- 4** To turn your **Pet Gazebo** into a semi-permanent structure (optional), use a power drill and screw the **Self Tapping Screws** into the pre-drilled holes provided on the connectors.




- 5** Connected the 3 parts of **Roof Support Arm** together as this diagram.

Insert the tip of the **Roof Support Arm** into the sleeve of the **Roof Hub** and screw into place by turning the **Support Arm** to the right (clockwise). Screw the arm in completely and make sure the angled end of the **Roof Arm** is pointing in towards the **Roof Hub**.


Repeat this step for the remaining 7 **Roof Support Arms**.

Once the **Roof Support Arms** are in place, it is recommended to leave them in the **Roof Hub** for future use.




- 6 Insert the end of a **Roof Support Arm** into the larger hole of the **Nylon Panel Connector**.

For stability it is best to start with an "x" pattern. Continue putting the **Roof Support Arms** into place in the **Nylon Panel Connectors**.




- 7 Make sure the **Canopy** is oriented with the Pet Gazebo logo outward. Locate the center eyelet and line it up with the center of the **Roof Support Hub**.

Screw on the **Roof Support Cap** to attach the **Canopy** to the kennel.




- 8 Using the **Ball Ties** provided attach the **Canopy** to the posts of the kennel.

Note: Align the ribs of the **Canopy** with the posts of the panels. Insert a **Ball Tie** through the eyelet below the horizontal frame bar and wrap around the vertical frame post connecting two (2) **Panels** together.




- 9 Pass the inside strap underneath the second horizontal bar from the top. Fold top of strap over bottom to secure.



- 10 Your Pet Gazebo is now ready to use!

Note: For safety and stability when used outdoors the Pet Gazebo should be secured to the ground with steel ground stakes (www.petgazebo.com, item No. 23396 & 23397).

CONNECTING MULTIPLE PET GAZEBOS TOGETHER



- 1 Detach a single **Side Panel** and its **Nylon Panel Connectors** from a fully assembled gazebo, then re-attach the **Nylon Panel Connectors** so that they turn away from the side panel, rather than inward.
- 2 Re-attach a **Side Panel** to each gazebo so that the panels face outward and are on opposite sides.
- 3 Attach gazebos together by inserting the outward facing **Side Panels** in the available **Nylon Panel Connectors**.

LIMITED WARRANTY

Steel panels (side panel, gate panel, window panel)
Canopy 23400 series (Market top Polyester)
Nylon connectors, roof support hub, cap, arms, ball ties

5 YEARS
3 YEARS
1 YEAR

To activate your warranty: register your product at advantekpet.com/warranty. To request warranty replacement email customerservice@petgazebo.com. Be sure to include a copy of your receipt, a photo of defective part(s) and a listing of part(s) needed. Be sure to include your name and contact information.

Any questions or problems, please contact customerservice@petgazebo.com, or call 949 922 6706.