


GRABO®

Bore Mount

Assembly Instruction Manual



GRABO Bore Mount Assembly Instruction Manual

Introduction:

The GRABO Bore Mount is a heavy-duty mounting plate that allows you to securely attach two GRABO tools and a core drill attachment or drill press. Engineered to grip firmly onto dense surfaces like concrete, metal, or stone, it enables you to drill clean, accurate holes without the need for manual pressure. This product comes with a removable splash guard.


Important Considerations:

- The bore mount requires two GRABO tools for use.
- The maximum drill bit diameter supported is 120mm.
- Please note: GRABO tools and the core drill attachment are not included and must be purchased separately.

Assembly Steps:


Pull out the Latches:

- Locate the six Mortise locks on the GRABO Bore Mount.
- Press and hold the center button of each latch.
- Pull the latch out to unlock it.




Install GRABO tool:

- Position the two GRABO tools into the corresponding slots on the GRABO Bore Mount.
- Align the latch hole on the Bore Mount with the metal hook hole on the GRABO tool.
- Press the center button of the latch and insert it into the fixing hole to secure the tool.




Install accessories:


- The GRABO Bore Mount is compatible with GRABO V1, GRABO V2, GRABO PRO, and GRABO PRO BRUSHLESS.
- When using the GRABO PRO BRUSHLESS, please install the support block in advance.



Core drill attachment installation:

- Insert the two bolts from the bottom into the mounting holes on the GRABO Bore Mount plate.
- Pass the bolts through the fixing hole of the core drill attachment base and adjust the base to the appropriate position.
- Tighten the nuts to secure the core drill attachment to the GRABO Bore Mount.





GRABO Bore Mount Parts List:

Letter	Part name	Quantity
(A)	Chassis	1
(B)	Plug(With lanyard)	6
(C)	Right fixed	2
(D)	M4 Hex nut	16
(E)	Connection block	1
(F)	M4x10 Round head hexagon socket screws	16
(G)	Splash Guard	1
(H)	Left fixed	2
(I)	M12x60 Hexagonal bolt	2
(J)	M12x27x2.5 Flat Washer	2
(K)	M12 Hex nut	2
(L)	support block	1
(M)	M8x16 Round head hexagon socket screws	8

GRABO®

Bore Mount

Aug. 2025 | Version 1

By GRABO LIMITED - www.GRABO.com